

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.

RECEIVED
SEP 30 1968
STATE ENGINEER
SALM. OREGON

WATER WELL REPORT

STATE OF OREGON

(Please type or print)
(Do not write above this line)

LINN
6986

State Well No. 11/26-35abc

State Permit No. G-4793

(1) OWNER:

Name GEORGE FITZ
Address RR 1 Box 384 LEBANON

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

6" Diam. from 0 ft. to 21 ft. Gage 237
Threaded Welded

PERFORATIONS:

Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 13 ft. below land surface Date 9-9-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test 20 gal./min. with 0 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water 54° Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used CEMENT GROUT
Depth of seal 18 ft.
Diameter of well bore to bottom of seal 8 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County LINN Driller's well number
¼ Section 34 T. 115 R. 24 W.M.

Bearing and distance from section or subdivision corner
SW Cor. N 255'
EASX F7'

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 21 ft. Depth of completed well 21 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
SAND GRAVEL Boulders	0	21	

Work started 9-9 1968 Completed 9-9 1968
Date well drilling machine moved off of well 9-9 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Leman Ahelito Date 9-11, 1968
(Drilling Machine Operator)

Drilling Machine Operator's License No. 554

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME BOB'S WELL DRILLING
(Person, firm or corporation) (Type or print)
Address 465 wagon wheel Dr. Lebanon
[Signed] Robert Pushto
(Water Well Contractor)

Contractor's License No. 121 Date 9-13, 1968