

RECEIVED  
AUG 31 1966

LINN  
7268

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER ON WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

G-3651

State Well No. 11/3W-9R  
State Permit No.

(1) OWNER:

Name Al Mitchell  
Address Route 1 Box 414 Spicer Road  
Albany Oregon

(2) LOCATION OF WELL:

County Linn Driller's well number 22  
SE 1/4 SE 1/4 Section 9 T. 11S R. 3W W.M.  
Bearing and distance from section or subdivision corner  
N. 31° W. 9.5 CHAINS FROM THE  
SE CORNER OF S. 9, T. 11S, R. 3W.

(3) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(6) CASING INSTALLED:

Threaded  Welded   
10" Diam. from 12 in. ft. to 14.5 ft. Gage 250  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

(7) PERFORATIONS:

Perforated?  Yes  No

Type of perforator used Acetylene Cutting Torch  
Size of perforations 1/2 in. by 8 in.  
60 perforations from 6.3 ft. to 8.2 ft.  
80 perforations from 12.6 ft. to 14.3 ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) SCREENS:

Well screen installed?  Yes  No

Manufacturer's Name \_\_\_\_\_ Model No. \_\_\_\_\_  
Type \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Bentonite  
Depth of seal 18 ft. Was a packer used? no  
Diameter of well bore to bottom of seal 14 in.  
Were any loose strata cemented off?  Yes  No Depth \_\_\_\_\_  
Was a drive shoe used?  Yes  No  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(10) WATER LEVELS:

Static level 11 ft. below land surface Date 5/12/66  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom?  
Yield: 275 gal./min. with 63 ft. drawdown after 3 hrs.  
" " " " "  
" " " " "  
" " " " "  
Bailer test gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(12) WELL LOG:

Diameter of well below casing 10 inch

Depth drilled 146 ft. Depth of completed well 146 ft.  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Top Soil BROWN	0	2
BROWN CLAY	2	17 1/2
Cement Gravel	17 1/2	47
Blue Clay	47	84
Water Bearing Sand	84	105
SANDY BROWN CLAY	105	130
LARGE AND MEDIUM GRAVEL	130	146

Application No. G-3651  
Permit No.

Work started 4/22/1966 Completed 5/7/1966  
Date well drilling machine moved off of well 5/12/1966

(13) PUMP:

Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME FRANK WAAG - Well Drilling  
(Person, firm or corporation) (Type or print)  
Address 2435 Pine Lane - Albany Oregon

Drilling Machine Operator's License No. 364

[Signed] Frank Waag  
(Water Well Contractor)

Contractor's License No. 423 Date 5/16/1966