NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the well are to be filed with the contract of the contract of

STATE	ENGINEER, within 30 da	SALEM, ys from t completion	OREGON he date	NUC <sub>018</sub> 26	20	1967	STATE (Please	<b>OF</b> type	OREG or prin	<b>OI</b> 1t)
	OT MCII	complete	J11.							

G-4241 State Permit No

The second secon	6 7271	·····	
(1) OWNER: SALEM. OREGON Name Norman Steckley	(11) WELL TESTS: Drawdown is amount lowered below static le	water lev	el is tler Su
	Was a pump test made? Yes No If yes, by whom		
VON TOUSENC DIV	Yield: 165 gal./min. with 160 ft. drawdow	m after	2 hrs.
Lebanon, Oregon (2) LOCATION OF WELL:	" " "		
	Bailer test 90 gal./min. with 35 ft. drawdo	wn after	1 hrs.
County Linn Driller's well number	Artesian flow g.p.m. Date	WII ALLEI	<u></u>
14 14 Section 21 T. 11S R. 3W W.M.	Temperature of water Was a chemical analysis r	————nade2 □	Ves Æ No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below ca		
	Depth drilled 200 ft. Depth of completed wel	11 200	γ ft.
	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each of		<del></del>
	MATERIAL	FROM	то
(3) TYPE OF WORK (check):		_	<del></del>
Well K Deepening  Reconditioning  Abandon	Top Soil	0	2
n abandonment, describe material and procedure in Item 12.	Clay	2	15
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay & Gravel	15	33
• • • • • • • • • • • • • • • • • • • •	Dirty Gravel	33	50
Domestic   Industrial   Municipal   Rotary   Driven      Rotary   Driven   Cable   Driven   Cable   Driven   Cable   Driven   Cable   Driven   Driv	Brown Sandy Clay	50	60
[rrigation X Test Well □ Other □ Cable X Jetted □ Dug □ Bored □	Blue Clay	60	85
(C) CACING INCHALLED	Black Sandy Clay	85	101
Threaded Welded W Welded W Union 10	Black Clay	101	108
			119
"Diam. from ft. to ft. Gage	Clay & Gravel		129
" Diam. from ft. to ft. Gage	Black Sand & Gravel	129	
(7) PERFORATIONS: Perforated? X Yes ☐ No	Clay & Gravel Black Sandy Clay	131	155
Type of perforator used Acetylene Torch	· · · · · · · · · · · · · · · · · · ·	,	159
Size of perforations ½ in. by 12 in.	Clay & Gravel Black Sand & Gravel		180
54 perforations from N 169 06t to 186 ft.			183 200
perforations from ft. to ft.	Brown Clay	105	200
perforations from ft. to ft.			-
perforations from ft. to ft.			
perforations from ft. to ft.	:		
(8) SCREENS: Well screen installed? ☐ Yes ☑ No			<del></del>
Manufacturer's Name			. 7
Model No			
Diam. Slot size Set from ft. to ft.	Work started 3-27 1967 Completed 4.	-7-67	19
	Date well drilling machine moved off of well 4-8	<u> </u>	1967
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in sealBentonite	Manufacturer's Name		
Depth of seal20	Туре: Н		
Diameter of well bore to bottom of seal14in.	· · · · · · · · · · · · · · · · · · ·	F	
Were any loose strata cemented off? 🗌 Yes 💢 No Depth	Water Well Contractor's Certification:		
Vas a drive shoe used ∰□ Yes □ No	This well was drilled under my jurisdiction a	nd this	report is
Was well gravel packed? ☐ Yes X No Size of gravel:	true to the best of my knowledge and belief.		report in
Gravel placed from ft. to ft.	NAME Merle Warren Well Drillin	1 ce	
Did any strata contain unusable water? 🗌 Yes 🐰 No	NAME Merle Warren Well Drillir (Person, firm or corporation) (Typ	e or print	)
Type of water? depth of strata	AddressRt. 1, Box 85, Tangent.		
Method of sealing strata off		_	/
(10) WATER LEVELS:	Drilling Machine Operator's License No. 313	2	<i></i>
	[Signed] Mule Warr	ex	
Static level 8:06!1 ft. below land surface Date 4-7-67	(Water Well Contractor)	/	 پيست
Artesian pressure lbs. per square inch Date	Contractor's License No. 182 Date	15	, 19.(?/