

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy  
of this report are to be  
filed with the

WATER WELL REPORT

RECEIVED  
NOV 14 1972

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

Linn  
76006

STATE OF OREGON  
STATE ENGINEER  
SALEM, OREGON  
(Please type or print)  
(Do not write above this line)

State Well No. 125/2W-2  
State Permit No.

(1) OWNER:

Name Lewis Shephard  
Address 165 Airport Rd Lebanon Ore

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary  Driven   
Cable  Jetted   
Dug  Bored

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) CASING INSTALLED:

Threaded  Welded   
8" Diam. from 0 ft. to 30 ft. Gage 1,250  
" Diam. from " ft. to " ft. Gage  
" Diam. from " ft. to " ft. Gage

(6) PERFORATIONS:

Perforated?  Yes  No  
Type of perforator used torch  
Size of perforations 1/4 in. by 6 in.  
24 perforations from 20 ft. to 30 ft. ft.  
perforations from " ft. to " ft. ft.  
perforations from " ft. to " ft. ft.

(7) SCREENS:

Well screen installed?  Yes  No  
Manufacturer's Name  
Type Model No.  
Diam. Slot size Set from " ft. to " ft.  
Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom?  
Yield: 300 gal./min. with 6 ft. drawdown after 1 hrs.  
" " " " " "  
" " " " " "  
Baller test gal./min. with " ft. drawdown after " hrs.  
Artesian flow g.p.m.  
Temperature of water Depth artesian flow encountered " ft.

(9) CONSTRUCTION:

Well seal—Material used Cement  
Well sealed from land surface to 18 ft. ft.  
Diameter of well bore to bottom of seal 12 in. in.  
Diameter of well bore below seal 8 in. in.  
Number of sacks of cement used in well seal 8 sacks  
Number of sacks of bentonite used in well seal " sacks  
Brand name of bentonite  
Number of pounds of bentonite per 100 gallons  
of water " lbs./100 gals.  
Was a drive shoe used?  Yes  No Plugs " Size: location " ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? " depth of strata  
Method of sealing strata off  
Was well gravel packed?  Yes  No Size of gravel: " ft.  
Gravel placed from " ft. to " ft.

(10) LOCATION OF WELL:

County Linn Driller's well number  
" " Section 2 T. 12S R. 2W W.M.  
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 20 ft.  
Static level 12 ft. below land surface. Date 10-14-72  
Artesian pressure " lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8"  
Depth drilled 32 ft. Depth of completed well 32 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Brown top Soil	0	2	
Brown Clay	2	6	
Yellow clay & gravel	6	12	
Yellow Clay	12	19	
Sand & Gravel	19	29	
Blue clay	29	32	

Work started 10-4 19 72 Completed 10-14 19 72  
Date well drilling machine moved off of well 10-14 19 72

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] David J. Martin Date 10-14, 19 72  
(Drilling Machine Operator)  
Drilling Machine Operator's License No. 784

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name Joneses Drilling Co Inc  
(Person, firm or corporation) (Type or print)  
Address St. Rt 2 Box 120 Lebanon  
[Signed] Bob Jones  
(Water Well Contractor)  
Contractor's License No. 514 Date 10-14, 19 72