## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

## WATER WELL REPORT

STATE OF OREGON

(Please type or print)

· <u>-</u>	٠.		
State	Well	No.	125/2w-14

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Do not write above this line)

			_	
teta	Permit	MA		

(1) OWNER:	(10) LOCATION OF WELL:			
Name Devorne HoKIAND	County LINN Driller's well number			
Address Rt 2 Box 27- A-1	14 14 Section /4 T. /25 R. 2W W.M.			
LEBANON OKE	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):				
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found //O ft.			
Rotary N Driven D Domestic M Industrial Municipal D	Static level /5 ft. below land surface. Date 9-16-73			
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch. Date			
CASING INSTALLED: Threaded   Welded   W	(12) WELL LOG: Diameter of well below casing			
PERFORATIONS: Perforated? Yes 🗀 No.	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used $\frac{\partial \mathcal{R}_{l}}{\partial l}$	MATERIAL From To SWL			
Size of perforations // in. by ROUND in.	Top Soil 0 3			
/100 perforations from 35 ft. to 125 ft.	BEOWN SAND 3 6			
perforations from ft. to ft.	Cemented GRADES 6 20			
perforations from ft. to ft.	SANO & GEWEL 20 23			
(7) SCREENS: Well screen installed?   Yes V No	Comentell graves 23 25			
Manufacturer's Name	Drown Clay 25 55			
Type Model No.	16/10e Clay 70 80			
Diam. Slot size Set from ft. to ft.	Blue SANDS FONS 80 125			
Diam. Slot size Set from ft. to ft.	GIVE. ST-180001 0107 00 723			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made?  Yes No If yes, by whom?	THE R. L. S. L. S. L. S. L. S.			
Yield: gal./min. with ft. drawdown after hrs.	REGEVED			
" " "	0500000			
rested w/AIR est 45 gom "	DEC 22 1975			
Bailer test gal./min. with //O ft. drawdown after / hrs.	WATER RESOURCES DEPT.			
Artesian flow g.p.m.	SALEM, OREGON			
perature of water Depth artesian flow encountered ft.				
	- / J - / J			
(9) CONSTRUCTION:				
Well seal—Material used	This well was constructed under my direct supervision.  Materials used and information reported above are true to my best knowledge and belief.  [Signed]   (Drilling Machine Operator)  Drilling Machine Operator's License No.			
Brand name of bentonite	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons				
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used? Yes No Plugs Size: location ft.  Did any strata contain unusable water? Yes No	Name JONESES DRIlling Co INC			
	(Type or print)			
Method of sealing strata off	Address St. Kt 2 BOX 120 LEBANON ULE			
	[Signed] Bert Lones			
Was well gravel packed?  Yes No Size of gravel:	(Water Well Contractor)			
Gravel placed from ft. to ft.	Contractor's License No \$14 Date 9-24 10/5			