NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 HIP No. 1925 of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

-			
in .			170 /ac. 11.
State	Well	No.	123/2W-14
			7

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:			
Name LEW EddINGS	County Z/NN Driller's well nu	ımber		
Address 608 3Rd. Que	1/4 1/4 Section /4 T. /25		/	W.M.
SWEET HOME OKE	Bearing and distance from section or subdivision			AA * TAT*
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision	Jii corner		
New Well 💢 Deepening 🗌 Reconditioning 🗀 Abandon 🗀	-			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	See	ец. ,		
Potony VI Duisson Cl	Depth at which water was first found 57		0	ft.
Domestic Industrial Municipal Cable Bored Irrigation Test Well Other □	Static level 16 ft. below land surface. Date 9-29-15			
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	e inch. D	ate	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well h	olore cort	- 6	
6 " Diam. from 0 ft. to 50 ft. Gage 250	Double deally de Committee of well below easing			
ft. to ft. Gage				ft.
	Formation: Describe color, texture, grain size a and show thickness and nature of each stratum	n and aqu	lifer per	ietrated,
PERFORATIONS: Perforated? To Ves Ni/No.	with at least one entry for each change of format position of Static Water Level and indicate princ	ion. Repor	rt each c	hange in
Total and a second				
Type of perforator used	MATERIAL	From	То	swl
Size of perforations in. by in.	Top Soil		3	
perforations from ft. to ft.	Beown Clay	ے	10	
perforations from ft. to ft.	SANDA GRAVEL	10	15	
perforations from ft. to ft.	Comented graves	_/3	45	
(7) SCREENS: Well screen installed? Yes Vi No	BROWN Clay		55	
Manufacturer's Name	SAND& GRAVEL	53	65	
TypeModel No.				
Diam. Slot size Set from ft. to ft.				
Diam, Slot size Set from ft. to ft.				
20 00 111111111111111111111111111111111				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	PECEIVED			
Was a pump test made? ☐ Yes ▼ No If yes, by whom?	IN LOVER I WELL			
	DEC 22 1975			
gal./min. with ft. drawdown after hrs.				
Tatal whom act as	WATER RESOURCES DEPT	•		
	SALEM, OREGON			-
Bailer test gal./min. with 39 ft. drawdown after / hrs.				
Artesian flow g.p.m.				
nperature of water Depth artesian flow encountered ft.	Work started 9-29 1975 Complete	d 9	-29	1975
(9) CONSTRUCTION:	Date well drilling machine moved off of well	9	29	19 %
2 - +	Drilling Machine Operator's Certification:			
Well seal—Material used <u>Clmenc</u> Well sealed from land surface to <u>20</u> ft	This well was constructed under my	direct	superv	ision.
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief	above ar	e true	to my
Diameter of well bore below seal		Date	11-14	10.75
Number of sacks of cement used in well seal	(Drilling Machine Operator)		_ ′	19/.=
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No		148	
Brand name of bentonite				
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:			
of water lbs./100 gals.	This well was drilled under my jurisdic		this re	port is
Was a drive shoe used? XYes ☐ No Plugs Size: location ft.	true to the best of my knowledge and beli	er.		
Did any strata contain unusable water? Yes No	Name JONESES ARILING CO (Person, firm or corporation)	+ N C	رے e or print	t)
Type of water? depth of strata	Address St. Rt & Box 120			
Method of sealing strata off	1 1			
	[Signed] Set Janes		***************************************	
Was well gravel packed? Yes No Size of gravel:	(Water Well Contra		11/	
Gravel placed from ft. to ft.	Contractor's License No. 5.74. Date	10	14	كيار 19