

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

RECEIVED Linn 7927
STATE OF OREGON SEP 18 1967
STATE ENGINEER SALEM OREGON
State Well No. 12/2w-14
State Permit No.

(1) OWNER:

Name Lyon-Lawrence Bot 70
Address Rt. 1, Lebanon, Oregon

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ]
Cable [x] Jetted [ ]
Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [x] Industrial [ ] Municipal [ ]
Irrigation [ ] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 31 ft. Threaded [ ] Welded [x]
Gage .250

(6) PERFORATIONS:

Perforated? [ ] Yes [x] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 12 ft. below land surface Date 8-24-67
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [ ] Yes [x] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test 50 gal./min. with 10 ft. drawdown after 3 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal-Material used puddled clay
Depth of seal 20 ft.
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? [ ] Yes [x] No Depth
Was a drive shoe used? [x] Yes [ ] No
Did any strata contain unusable water? [ ] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [ ] Yes [x] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Linn Driller's well number
1/4 1/4 Section 14 T. 12 S R. 2 W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 52 ft. Depth of completed well 52 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include top soil, clay gravel and boulders, sand and gravel (red), sand and gravel (grey), grey sand (coarse).

Work started 8-21 19 67 Completed 8-24 1967
Date well drilling machine moved off of well 8-24 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Carl Salisbury Date 9-4, 1967
(Drilling Machine Operator)

Drilling Machine Operator's License No. 162

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Pyle and Salisbury
(Person, firm or corporation) (Type or print)

Address 1875 9th. St., Lebanon, Oregon

[Signed] Ward E Pyle
(Water Well Contractor)

Contractor's License No. 216 Date 9-4, 1967