

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

RECEIVED

FEB 25 1964

WATER WELL REPORT

STATE OF OREGON (Please type or print)

Linn 8192

State Well No. 12/2W-23

State Permit No.

(1) OWNER:

Name Crowfoot Baptist Chapel
Address 699 Cascade Drive
Sebanon Oregon

(2) LOCATION OF WELL:

County Linn Driller's well number
1/4 1/4 Section 23 T. 12S R. 2 W.M.
Bearing and distance from section or subdivision corner
D.L.C. 69

(3) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(6) CASING INSTALLED:

Threaded Welded
6 " Diam. from 0 ft. to 40 ft. Gage 280
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(8) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
..... Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Bentonite
Depth of seal 18 ft. Was a packer used? no
Diameter of well bore to bottom of seal 8 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? Yes No
Type of water? Depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 5 ft. below land surface Date 2-20-64
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Bailer test 40 gal./min. with 6 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water 52 Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 40 ft. Depth of completed well 40 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Soil	0	3
CLAY	3	9
Cemented gravel	9	18
loose gravel & sand	18	21
CLAY	21	33
CLAY, SAND & gravel	33	39
SAND & gravel	39	40
P.H. - 8 70' Swm.		

Work started 2-17 19 64 Completed 2-20-19 64
Date well drilling machine moved off of well 2-20 19 64

(13) PUMP:

Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Willamette Irrigation & Equip Co.
(Person, firm or corporation) (Type or print)
Address Star Route #2, Box 5, Sebanon

Drilling Machine Operator's License No. 31

[Signed] Carl H. Saunders
(Water Well Contractor)

Contractor's License No. 49 Date 2-20, 19 64