

**NOTICE TO WATER WELL CONTRACTOR**

The original and first copy of this report are to be filed with the

**WATER WELL REPORT**

**STATE OF OREGON**  
(Please type or print)

(Do not write above this line)

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date of well completion.

Amended  
State Well No. \_\_\_\_\_

State Permit No. \_\_\_\_\_

(1) **OWNER:** Mrs. Katherine Steinfeldt

Name: Richard Verbeck  
Address: Mantent, Ore. 97339

(2) **TYPE OF WORK (check):**  
 New Well  Deepening  Reconditioning  Abandon   
 If abandonment, describe material and procedure in Item 12.

(3) **TYPE OF WELL:** (4) **PROPOSED USE (check):**  
 Rotary  Driven  Domestic  Industrial  Municipal   
 Cable  Jetted  Irrigation  Test Well  Other   
 Dug  Bored

(5) **CASING INSTALLED:** Threaded  Welded   
 6" Diam. from 4.03" ft. to 80' 0 1/4" ft. Gage 17#  
 " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
 " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

(6) **PERFORATIONS:** Perforated?  Yes  No.  
 Type of perforator used: acetylene Torch  
 Size of perforations: 3/8 in. by 12 in.  
 38 perforations from 70' 0 9/16" ft. to 80' 0 1/4" ft.  
 perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(7) **SCREENS:** Well screen installed?  Yes  No  
 Manufacturer's Name: \_\_\_\_\_  
 Type: \_\_\_\_\_ Model No.: \_\_\_\_\_  
 Diam. Slot size Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Diam. Slot size Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) **WELL TESTS:** Drawdown is amount water level is lowered below static level  
 Was a pump test made?  Yes  No If yes, by whom? \_\_\_\_\_  
 Yield: gal./min. with ft. drawdown after hrs.  
 " " " " " " "  
 " " " " " " "  
 Bailor test 50 gal./min. with 2 ft. drawdown after 1 hrs.  
 Artesian flow g.p.m. \_\_\_\_\_  
 Temperature of water Depth artesian flow encountered \_\_\_\_\_ ft.

(9) **CONSTRUCTION:**  
 Well seal—Material used Bentonite  
 Well sealed from land surface to 19 ft.  
 Diameter of well bore to bottom of seal 10 in.  
 Diameter of well bore below seal 6 in.  
 Number of sacks of cement used in well seal \_\_\_\_\_ sacks  
 Number of sacks of bentonite used in well seal 2 sacks  
 Brand name of bentonite Black Hills  
 Number of pounds of bentonite per 100 gallons of water \_\_\_\_\_ lbs./100 gals.  
 Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size; location \_\_\_\_\_ ft.  
 Did any strata contain unusable water?  Yes  No  
 Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
 Method of sealing strata off \_\_\_\_\_  
 Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(10) **LOCATION OF WELL:**  
 County: Linn Driller's well number: \_\_\_\_\_  
 1/4 Section 7 T.12S R. 3W W.M.  
 Bearing and distance from section or subdivision corner \_\_\_\_\_

(11) **WATER LEVEL: Completed well.**  
 Depth at which water was first found 33 to 45 ft.  
 Static level 15' 06" ft. below land surface. Date 11-4-76  
 Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

(12) **WELL LOG:** Diameter of well below casing 6"  
 Depth drilled 31 ft. Depth of completed well 31 ft.  
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top soil	0	5	
brown clay	5	16	
Brown clay & gravel	16	25	
Dirty gravel	25	33	
Dirty brown sand & gravel	33	45	
Blue clay & gravel	45	50	
Cemented gravel	50	62	
Packed black sand & gravel	62	70	
black sand & gravel	70	81	

Work started 10-30 19 76, Completed 11- 19 76  
 Date well drilling machine moved off of well 11-4 19 76

**Drilling Machine Operator's Certification:**  
 This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
 [Signed] \_\_\_\_\_ Date \_\_\_\_\_, 19\_\_\_\_  
 (Drilling Machine Operator)  
 Drilling Machine Operator's License No. XXX 436

**Water Well Contractor's Certification:**  
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
 Name \_\_\_\_\_ (Type or print)  
 Address \_\_\_\_\_ (Person, firm or corporation), \_\_\_\_\_ (City or town), \_\_\_\_\_ (County), \_\_\_\_\_ (State), \_\_\_\_\_ (Zip)  
 [Signed] \_\_\_\_\_  
 (Water Well Contractor)  
 Contractor's License No. \_\_\_\_\_ Date \_\_\_\_\_, 19\_\_\_\_

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy  
of this report are to be  
filed with the

STATE ENGINEER, SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

**WATER WELL REPORT**  
**STATE OF OREGON**  
(Please type or print)

**RECEIVED**  
JAN 25 1977

State Well No. 11514W 7  
State Permit No. \_\_\_\_\_

*Handwritten:*  
Linn  
\$261

(Do not write above this line)

**(1) OWNER:**

Name Richard Verbeck  
Address Tangent, Ore. 97389

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon

If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Driven   
Cable  Jetted   
Dug  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**(5) CASING INSTALLED:**

Threaded  Welded   
6" Diam. from +03" ft. to 80'01 1/2" ft. Gage 17#  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_  
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_\_

**(6) PERFORATIONS:**

Perforated?  Yes  No.  
Type of perforator used Acetylene Torch  
Size of perforations 3/8 in. by 12 in.  
38 perforations from 70'09 1/2" ft. to 80'01 1/2" ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(7) SCREENS:**

Well screen installed?  Yes  No  
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom?  
ld: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
" " " " " "  
" " " " " "  
Bailer test 50 gal./min. with 2 ft. drawdown after 1 hrs.  
Artesian flow \_\_\_\_\_ g.p.m.  
Temperature of water \_\_\_\_\_ Depth artesian flow encountered \_\_\_\_\_ ft.

**(9) CONSTRUCTION:**

Well seal—Material used Bentonite  
Well sealed from land surface to 18 ft.  
Diameter of well bore to bottom of seal 10 in.  
Diameter of well bore below seal 6 in.  
Number of sacks of cement used in well seal \_\_\_\_\_ sacks  
Number of sacks of bentonite used in well seal 2 sacks  
Brand name of bentonite Black Hills  
Number of pounds of bentonite per 100 gallons  
of water \_\_\_\_\_ lbs./100 gals.  
Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(10) LOCATION OF WELL:**

County Linn Driller's well number \_\_\_\_\_  
1/4 1/4 Section 7 T. 11S R. 4W W.M.  
Bearing and distance from section or subdivision corner \_\_\_\_\_

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 33 to 45 ft.  
Static level 15'06" ft. below land surface. Date 11-4-76  
Artesian pressure \_\_\_\_\_ lbs. per square inch. Date \_\_\_\_\_

**(12) WELL LOG:**

Diameter of well below casing 6"  
Depth drilled 81 ft. Depth of completed well 81 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	3	
Brown Clay	3	16	
Brown Clay & Gravel	16	25	
Dirty Gravel	25	33	
Dirty Brown Sand & Grav.	33	45	
Blue Clay & Gravel	45	50	
Cemented Gravel	50	62	
Packed Black Sandy C & G	62	70	
Black Sand & Gravel	70	81	

Work started 10-28 19 76 Completed 11-4 19 76  
Date well drilling machine moved off of well 11-4 19 76

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Merle Warren Date 11-5, 19 76  
(Drilling Machine Operator)

Drilling Machine Operator's License No. XXX 436

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Merle Warren Well Drilling  
(Person, firm or corporation) (Type or print)

Address Rt. 1, Box 84, Tangent, Ore. 97389

[Signed] Merle Warren  
(Water Well Contractor)

Contractor's License No. 182 Date 11-5, 19 76