	1 ge	empelied STE
	LINIAL	- 2
NOTICE TO WATER WELL CONTRACTOR	2000	
The original and first copy	LL REPORT \$372	'1.1
	State Well No	-15/1
within 30 days from the date - A E ENGIN (Please ty	F OREGON pe or print) G-3869 State Permit No	· · · · · · · · · · · · · · · · · · ·
(1) OWNER:	(11) WELL TESTS. Drawdown is amount water lev	vel is
Name Robert Clausen	Was a pump test made? ☐ Yes X No If yes, by whom?	
	Yield: gal./min. with ft. drawdown after	hrs.
Address Rt. 3	gar,/mm. with it. drawdown arei	"
Albany, Oregon	" " "	<del></del>
(2) LOCATION OF WELL:	Bailer test 90 gal./min. with NO ft. drawdown after	r ] hrs.
County Linn Driller's well number	Artesian flow g.p.m. Date	. <u>.r.</u> 1113.
14 14 Section 15 T. 118 R. 4W W.M.	Temperature of water Was a chemical analysis made?	Ves will No
Bearing and distance from section or subdivision corner		
	(12) WELL LOG: Diameter of well below casing	LON
	Depth drilled 42 ft. Depth of completed well 42	ft.
	Formation: Describe by color, character, size of material and str show thickness of aquifers and the kind and nature of the mater stratum penetrated, with at least one entry for each change of	rıaı ın eacn
	MATERIAL FROM	то
(3) TYPE OF WORK (check):	Top Soil 0	3
New Well	Clay 3	20105"
pandonment, describe material and procedure in Item 12.	Sand & Gravel 20'05"	40
(1) PROPOSED TIST (1 1)	Clay & Gravel 40	42
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Olay & dravel +0	<del>  4</del> 2
Domestic  Industrial  Municipal  Cable  Jetted		-
Irrigation		
(c) CACING INCHAILED.		1
	1 5 22	
10 " Diam. from 0 ft. to 41 09½"ft. Gage 250 Wa		
		-
(7) PERFORATIONS: Perforated? ₹ Yes □ No		
Type of perforator used Acetylene Torch		
Size of perforations 1/2 in. by 1/2 in.		
56 perforations from 26 ft. to 40 ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.	1, 1	
perforations fromft. toft.		
(a) CCDEBIG	1 1 1	
(8) SCREENS: Well screen installed? ☐ Yes X No	1 - 3	5
Manufacturer's Name		
Model No		
n Slot size Set from ft. to ft.	Work started 3-6 19 67 Completed 3-7	19 8
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well 3-8	19 67
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal Bentonite	Manufacturer's Name	
Depth of seal	Type: H.P.	
Diameter of well bore to bottom of seal	Type.	
Were any loose strata cemented off?  Yes X No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? ☑ Yes ☐ No	This well was drilled under my jurisdiction and this	e ronort is
was a drive snoe used? M res □ No  Was well gravel packed? □ Yes □ XNo Size of gravel:	true to the best of my knowledge and belief.	a rebort 12
Gravel placed from ft. to ft.	NAME Merle Warren Well Drilling	
	NAME PRETIE WATTER WELL DELITING (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water?   Yes  No	Address Rt. 1, Box 85, Tangent, Oregon	
Type of water? depth of strata		
Method of sealing strata off	Drilling Machine Operator's License No. 313	
(10) WATER LEVELS:	[Signed] Ille Warren	
Static level 20 ft. below land surface Date 3-7-67	(Water Well Contractor)	1.17
Artesian pressure lbs. per square inch Date	Contractor's License No. 182 Date	, 19 <b>./</b>