

ORIGINAL
File Original, and
Duplicate with the
STATE ENGINEER,
SALEM, OREGON

RECEIVED
NOV 1 1956

WATER WELL DRILLERS REPORT
STATE OF OREGON

Do Not State Well No. 114w-3140
Fill In State Permit No.

(1) OWNER: STATE ENGINEER
Name: Bruce Brañs
Address: Corvallis, Oregon
Linn 8662

(2) LOCATION OF WELL:
County Linn Owner's number, if any-- #2
R. F. D. or Street No.
Bearing and distance from section or subdivision corner
862.1 feet N 57 degrees 57 min. West of SE Corner
of O.L.S. #87 Benton Co.

(3) TYPE OF WORK (check):
New well Deepening Reconditioning Abandon
abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):
Domestic Industrial Municipal
Irrigation Test Well Other
(5) EQUIPMENT:
Rotary
Cable
Dug Well

(6) CASING INSTALLED:
Threaded Welded
FROM 0 ft. to 32 ft. Diam. 10" Gage or Wall
Type and size of shoe or well ring
Describe joint

If gravel packed

Diameter of Bore	from ft.	to ft.

(7) PERFORATIONS:
Type of perforator used Torch
SIZE of perforations 6 in., length, by 1/4 in.
FROM 23 ft. to 32 ft. 9 perf per foot 10 No. of rows

SCREENS:
Give Manufacturer's Name, Model No. and Size

(8) CONSTRUCTION:
Was a surface sanitary seal provided? Yes No To what depth ft.
Were any strata sealed against pollution? Yes No
If yes, note depth of strata
FROM ft. to ft.
METHOD OF SEALING

(9) WATER LEVELS:
Depth at which water was first found 11 ft.
Standing level before perforating ft.
Standing level after perforating Static level 11 ft.
Log Accepted by:
[Signed] _____ Dated June 29 1956
Owner

(10) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? Driller
Yield: 300 gal./min. with 13 ft. draw down after 2 hrs.
Water level Drawdown 16ft 120 gal "
20' 220 gal 22' 250 gal 24' 300 gal "
Artesian flow g.p.m.
Shut-in pressure lbs. per square inch.
Bailer test g.p.m. with ft. drawdown
Temperature of water 54 Was a chemical analysis made? Yes No
Was electric log made of well? Yes No

(11) WELL LOG:
Diameter of well, 10 inches.
Total depth 38 ft. Depth of completed well 38 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
0 ft. to 3 ft. topsoil loam
3 " 16 " clay
16 " 19 " sand and fine gravel
19 " 31 " coarse gravel
31 " 38 " tough blue clay
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "

Ground elevation at well site feet above mean sea level.
Work started June 25 1956. Completed June 29 1956
Well Driller's Statement:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Raymond C. Gellatly
(Person, firm, or corporation) (Typed or printed)
Address Box 1 Philomath, Oregon
Driller's well number
[Signed] Raymond C. Gellatly (Well Driller)
License No. 77 Dated June 29, 1956