

STATE ENGINEER STATE OF OREGON

SALEM, OREGON

(1) OWNER: Twin Oaks Memorial Gardens
 Name Norman Anderson and Assoc.
 Address Albany, Oregon

(11) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 Yield: 175 gal./min. with 33 ft. drawdown after 4 hrs.
 " 150 " " 29 24 " " 4 "
 " 130 " " 28 17 " " "
 Baller test 100 gal./min. with 77 15 ft. drawdown after _____ hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water 50 Was a chemical analysis made? Yes No

(2) LOCATION OF WELL:
 County Linn Owner's number, if any—
NE 1/4 NW 1/4 Section 33 T. 11S R. 4W W.M.
 Bearing and distance from section or subdivision corner
170' West and 10' South of Initial Point
of Twin Oaks Memorial Gardens which is
N 49° 34' 45" W 5071.09' from SE corner of
Wallace Cushman D.L.C. Not. 1787 Claim 67.

(12) WELL LOG: Diameter of well 8 inches.
 Depth drilled 48 ft. Depth of completed well 48 ft.

(3) TYPE OF WORK (check):
 New Well Deepening Reconditioning Abandonment
 If abandonment, describe material and procedure in Item 11.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
topsoil	0	2
reddish brown clay	2	19
coarse gravel and clay	19	23
coarse gravel and boulders		
up to 5 or 6" in dia.	23	31
coarse gravel up to 3" dia	31	48
grey clay below		

(4) PROPOSED USE (check):
 Residential Industrial Municipal
 Irrigation Test Well Other
(5) TYPE OF WELL:
 Rotary Driven
 Cable Jetted
 Dug Bored

(6) CASING INSTALLED: Threaded Welded
8" Diam. from 0 ft. to 50 ft. Gage Std.
72" Diam. from 48 ft. to _____ ft. Gage _____
 _____" Diam. from _____ ft. to _____ ft. Gage _____

(7) PERFORATIONS: Perforated? Yes No
 Type of perforator used Mills perforator and torch
 SIZE of perforations torch 1/4 in. by 6 in.
torch 80 perforations from 38 40 ft. to 48 ft.
perf. 64 perforations from 30 ft. to 38 ft.
24 perforations from 23 ft. to 25 ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(8) SCREENS: Well screen installed Yes No
 Manufacturer's Name _____
 Type _____ Model No. _____
 _____" Slot size Set from _____ ft. to _____ ft.
 _____" Slot size Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.
 Was a surface seal provided? Yes No To what depth? _____ ft.
 Material used in seal— by owner
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

(10) WATER LEVELS:
 Static level 9 ft. below land surface Date 2-26-57
 Artesian pressure _____ lbs. per square inch Date _____
 Log Accepted by: _____
 [Signed] R. De la Ruy Date March 4, 1957.
 (Owner)

Work started 2-16-57 19 _____ Completed 2-26 19 57

(13) PUMP:
 Manufacturer's Name _____
 Type: _____ H.P. _____

Well Driller's Statement:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 NAME Raymond C. Gellatly
 (Person, firm, or corporation) (Type or print)
 Address PO Box 1 Philomath, Oregon
 Driller's well number _____
 [Signed] Raymond C. Gellatly
 (Well Driller)
 License No. 77 Date 3-4-, 1957.