

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON AUG 4 1967 (Please type or print) (Do not write above this line) STATE ENGINEER SALEM, OREGON

LINN 8810

State Well No. 11/5w-36N

State Permit No.

(1) OWNER:

Name Oregon State University Address 806 S. 15th St. Corvallis, Oregon

(2) TYPE OF WORK (check):

New Well [] Deepening [x] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other [x]

CASING INSTALLED:

12" Diam. from 0 ft. to 41' 8" ft. Gage .250 Threaded [] Welded [x]

PERFORATIONS:

Perforated? [] Yes [] No. Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No Manufacturer's Name Model No. Type Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 25 ft. below land surface Date 7/20/67 Man pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 18 ft. Diameter of well bore to bottom of seal 15 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Linn Driller's well number R18-67 SW 1/4 SW 1/4 Section 36 T. 11S R. 5 W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 41' 8" ft. Depth of completed well 41' 8" ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows: Gravel, large (40-41), Clay, blue (41-41' 8").

* Twenty inches of .250 pipe was added to top of .330 pipe

Work started July 20 1967 Completed July 20 1967 Date well drilling machine moved off of well July 20 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] C.V. Todd Date 7/21, 1967. (Drilling Machine Operator)

Drilling Machine Operator's License No. 451

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Todd's Drilling Service (Person, firm or corporation) (Type or print)

Address Rt. 1 Box 144 Monmouth, Ore.

[Signed] C.V. Todd (Water Well Contractor)

Contractor's License No. 450 Date July 21, 1967.