WATER WELL REPORT

STATE ENGINEER, SALEM, OREGORA73 of within 30 days from the date of well completion.



State	Well	No. 13/500-34	,
	1	1	

-	`		P()	,	,	
	not	write	above	this	line	ı
	1100	MILLO	anove	QLL AD	THIC,	

State Permit No. .

of well completion. JUN 2 9 1977 not write ab	ove this line)	10				
(1) OWNER: WATER RESOURCES DEPT.	(10) LOCATION OF WELL:					
Name MRS RE. TAYLOR SALEM, OREGON	County Driller's well number 73./5					
Address 32 15 11 5 11 12 12 10 11 12 11		R. 5	ur j	W.M.		
Address 2718 N.E. L'AN BUREN LORYBUIS OR C 97330	.,			VV.1.VI.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis	ion corne	r	· · · · · · · · · · · · · · · · · · ·		
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.						
	(11) WATER LEVEL: Completed v	vell.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		2/	<u>′ ft.</u>		
Rotary ☐ Driven ☐ Domestic ☐ Industrial ☐ Municipal ☐ Cable ☑ Jetted ☐	Static level 18 ft. below land	surface.	Date	14/27		
Cable Dug	Artesian pressure Ibs. per squa	re inch.	Date	• / • /		
CACING INCHAFIED.						
CASING INSTALLED: Threaded □ Welded	(12) WELL LOG: Diameter of well	below cas	ing	<i>8</i>		
8 "Diam from 0 ft to 3 4 ft Gage 250	Depth drilled 40 ft. Depth of comp	leted wel	4	O ft.		
ft. toft. Gage	Formation: Describe color, texture, grain size	and struc	ture of n	naterials;		
ft. Gage	and show thickness and nature of each stratu					
PERFORATIONS: Perforated? Y Yes \(\square\) No.	with at least one entry for each change of forms position of Static Water Level and indicate printing					
Type of perforator used ToRK H	MATERIAL	From	то	SWL		
Size of perforations /4 in. by /2 in.	LOAM - SANd -	0	151			
48 perforations from 2.4/2 ft. to 33/2 ft.	SANDYCLAY	13'	19'			
perforations fromft. toft.	SANA RLACK	19,	21	2/		
perforations from ft. to ft.	WATER BEARING	1				
periorations from	2007-1-1	1				
(7) SCREENS: Well screen installed? ☐ Yes No	medium GRAVEL	21'	33'	18		
Manufacturer's Name	WATER BEARING					
Type Model No						
Diam Slot size Set from ft. to ft.	CEMENTED GRAVE	3.3'	34'	18"		
Diam Slot size Set from ft. to ft.						
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Blue CLAY	34	40'			
Was a pump test made? Yes No If yes, by whom?						
Yield: gal./min. with ft. drawdown after hrs.	:					
" " "						
" " " "						
The line has been as a first of the second o	g to the state of					
Bailer test gal./min. with ft. drawdown after hrs.	PARTICIPATE AND ADMINISTRATION OF THE PARTICIPATE AND ADMINISTRATION O	 				
Artesian flow g.p.m.	num d	1	, 			
perature of water Depth artesian flow encountered ft.	Work started 19 7 Comple	ted 🚚	4	1927		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	6	14	19 77		
Well seal-Material used BCNICWITE	Drilling Machine Operator's Certification	.:				
Well sealed from land surface to	This well was constructed under my					
Diameter of well bore to bottom of seal	Materials used and information reported best knowledge and belief.	above	are true	to my		
Diameter of well bore below seal	[Signed] Robert E. Taulis To (Drilling Machine Gerator)	Date 6	1/27	1957		
Number of sacks of cement used in well seal sacks						
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		2 4 7			
Brand name of bentonite 50110WSTONE	Water Wall Contractor's Contident:					
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	31 - 4°	. 3 /3 *			
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.					
Was a drive shoe used? [] Yes No Plugs Size: location ft.			11581	c)		
Did any strata contain unusable water? Yes No	Name TAYLOR WELL (Person, firm or corporation)	(T	ype or pri	¥) 3>33		
Type of water? depth of strata	Address 27/5 NE VANBU	re	CORU	Alas		
Method of sealing strata off	[Signed] Lobert E. Sandr	TT.				
Was well gravel packed? Yes No Size of gravel:	[Digited] (Water Well Con	tractor)				
Gravel placed from ft. to ft.	Contractor's License No. 64/ Date	4/2)		, 19.7.7		