## NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be

Was well gravel packed? ☐ Yes 🕱 No

Gravel placed from ...... ft. to .....

## STATE OF OREGON 1 1967 (Please type of print)

LINN	State Well No. 11/5w-36 A
88/3	State Permit No.

of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 27310

of well completion.  STATE ENGINEER	bove this line) / b / State Permit No.
(1) OWNER:	(11) LOCATION OF WELL:
Name Oregon State University - Physical	County Linn Driller's well number M 4-67
Address 606 S. 15th St. Corvallis, Ore.	SW 14 Section 36 T. ] ] GR. 5 W W.M
Address 000 B. Total Bo. Col Valles, Ole.	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Bearing and distance from Section of Subdivision Corner
New Well 🔁 Deepening 🗆 Reconditioning 🗍 Abandon 🗆	
if abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(10) THEFT TOO
Rotary Driven D	(12) WELL LOG: Diameter of well below casing
Cable 2 Jetted Dug Bored I Irrigation Test Well Other	Depth drilled 40 ft. Depth of completed well 40 ft
CASING INSTALLED: Threaded Welded X 12." Diam. from 0 ft. to 40 ft. Gage 330	Formation: Describe color, texture, grain size and structure of materials and show thickness and nature of each stratum and aquifer penetrated with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates
" Diam. from ft. to ft. Gage	MATERIAL From To SWL
" Diam, fromft, toft, Gage	Top soil 0 6
PERFORATIONS: Perforated? N Yes No.	Clay, sandy 6 12
Type of perforator used torch	Gravel, sandy 12 20
= /0	Gravel, large 20 40 25
Size of perforations 5/8 in. by 6 in.  425 perforations from 22 ft. to 39 ft.	
perforations fromft. toft.	
perforations fromft. toft.	
perforations fromft. toft.  perforations fromft. toft.	
perfect the second seco	
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	
Manufacturer's Name	
Type Model No.	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft. to ft.	
(8) WATER LEVEL: Completed well.	
Static level 25 ft. below land surface Date 6/29/67	
A. sian pressure lbs. per square inch Date	
	16 - June
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? 🗌 Yes 🗶 No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	Work started June 26 19 67 Completed June 29 19 61
" "	Date well drilling machine moved off of well June 29 196
" " " " " "	Drilling Machine Operator's Certification:
Bailer test 60 gal./min. with 0 ft. drawdown after 1 hrs.	This well was constructed under my direct supervision. Mate-
Artesian flow g.p.m. Date	rials used and information reported above are true to my best knowledge and belief.
Temperature of water 44 Was a chemical analysis made? □ Yes 🔯 No	[Signed] Date 7/7, 19.6!
(10) CONSTRUCTION:	Drilling Machine Operator's License No. 451
Well seal—Material used <u>Bentonite</u>	
Depth of seal 18 ft.	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal15 in.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata cemented off?  Yes No Depth	NAME Todd's Drilling Service (Person, firm or corporation) (Type or print)
Was a drive shoe used? ☐ Yes 🏖 No	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water?   Yes X No	Address Rt. 1 Box 144 Monmouth, Ore.
Type of water? depth of strata	01/-11
Method of sealing strata off	[Signed] C/// PDA
Was well grovel peaked? C Ves W No. Size of grovel.	(Water Well Contractor)

Size of gravel: