

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

JUN 28 1977 (Please type or print) (Do not write above this line)

LINN 8842

State Well No. 115/5W-36 State Permit No.

WATER RESOURCES DEPT

(1) OWNER: SALEM, OREGON

Name MRS. R.E. TAYLOR Address 2715 N.E. VAN BUREN CORVALLIS ORE 97330

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon [X] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded []

" Diam. from ft. to ft. Gage " Diam. from ft. to ft. Gage " Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used

Size of perforations in. by in. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs. Baller test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Well sealed from land surface to ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County LINN Driller's well number 77-15 1/4 1/4 Section 36 T. 11S R. 5W W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft. Static level ft. below land surface. Date Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing ft. Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Handwritten entry: This 4" well was 31' deep (approx) grouted with cement grout to land surface. 5 SKS. CEMENT USED IN PERMANENT - A ABANDONMENT.

Work started 6/4 1977 Completed 6/4 1977 Date well drilling machine moved off of well 6/4 1977

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Robert E. Parb... Date 6/27, 1977 (Drilling Machine Operator)

Drilling Machine Operator's License No 1025

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name TAYLOR well DRILLING (Person, firm or corporation) (Type or print) 97330

Address 2715 NE VAN BUREN CORVALLIS

[Signed] Robert E. Parb... (Water Well Contractor)

Contractor's License No. 641 Date 6/27, 1977