NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion. JAN

4 1965

STATE OF OREGON (Please type or print)

+	÷		1	-/
State We	ell No	[2]	IW	- 28

or well completion.	T 1000		····			
	ENGINEER	(11) WELL TESTS: Drawdown is amount lowered below static	water level	l is		
		Was a pump test made? Yes No If yes, by who	m?	T		
Address Waterloo,		Yield: gal./min. with ft. drawdo	own after	hrs.		
Oregon		33 33		**************************************		
(2) LOCATION OF WELL:	- -	" "		**		
County Linn Driller's well n	uimhar	Bailer test 8 gal./min. with all t. drawd	lown after	hrs.		
	12S R. 1W W.M.	Artesian flow g.p.m. Date	·			
Bearing and distance from section or subdivision		Temperature of water 54 Was a chemical analysis	made? 🔲 Y	čes 🗶 No		
Block 43 in the town of		(12) WELL LOG: Diameter of well below)		
A THE CITE COMPLETE	Maretiton	Depth drilled 45 ft. Depth of completed	well 45			
	AND			ft.		
		Formation: Describe by color, character, size of mater show thickness of aquifiers and the kind and nature of stratum penetrated, with at least one entry for each	f the materi change of j	al in each formation.		
		MATERIAL	FROM	то		
(3) TYPE OF WORK (check):	TYPE OF WORK (check): Soil and Clay					
Well Deepening Recondit	tioning	Clay and Boulders	12	<u>12</u>		
If abandonment, describe material and procedu	re in Item 12.	Clay, Brown	17	- 100		
(4) PROPOSED TISE (sheek):	(E) MAYDE OF TAKET T	Clay & Claystone, Brown and	22	40		
` ' '	(5) TYPE OF WELL:	Blue Mixed	+	<u> </u>		
Domestic Lat industrial [Municipal []	Rotary Driven Cable M Jetted D	Broken Claystone, and Clay	40	45		
Irrigation □ Test Well □ Other □	Dug Bored	Blue	70			
(6) CASING INSTALLED: Thread	Ind El Titoldad W	Dude				
	led [] Welded 🔏					
6 "Diam. from 0 ft. to 4!				1.5		
" Diam. from ft. to	•					
ft. to	ft. Gage		-			
(7) PERFORATIONS: Perfora	ated? Yes X No					
Type of perforator used			-			
Size of perforations in. by	in.		1	· · · · · · · · · · · · · · · · · · ·		
perforations from			+	 -		
perforations from			 	·		
perforations from						
perforations from		· · · · · · · · · · · · · · · · · · ·				
perforations from			-			
(8) SCREENS: Well screen installed				· · · · · ·		
nufacturer's Name						
pe Mo	del No		+			
Diam Slot size Set from	ft. to ft.	work started 4 Decembers 64 completed 11	Decom	home 61		
Diam, Slot size Set from	ft. to ft.	Date well drilling machine moved off of well 15 December 19 64				
(9) CONSTRUCTION:	-=	(13) PUMP:	CCCMDC	<u> </u>		
• •	008	` ´				
Well seal—Material used in seal ORS 71-	- 20	Manufacturer's Name Unknown				
Depth of seal40		Type:	H.P			
Diameter of well bore to bottom of seal		Water Well Contractor's Certification:				
Were any loose strata cemented off? Tyes Ka	No Depth	THE TOTAL DOMESTICS IN COLUMNICATION				
Was a drive shoe used? X Yes No	4	This well was drilled under my jurisdiction true to the best of my knowledge and belief,	and this	report is		
	e of gravel:	1				
Gravel placed from ft. to ft.		NAME H & H Drilling				
Did any strata contain unusuable water? Ye			ype or print)			
Type of water? depth of str	ata	AddressRt. 3, Box 164-B, Leban	ou, or	egon		
Method of sealing strata off		Drilling Machine Operator's License No	PL	•		
(10) WATER LEVELS:	en e	The state of the s	//			
Static level 15 ft. below land s	surface Date12/14/64	[Signed]	17721	PAR-		
Artesian pressure lbs. per squar				60		
problem too, per squar	c men pare	Contractor's License No. 266 Date 2 Jan	nary	. 1965		