Its raging more than	DEALINE (OSE MOL)	2.100	UE and
WATER WELL REPORT 1' love ground-per	KEULIVED State well No.	1	DE-70%
STATE OF OREGON WWG 4/183 TCB	APR 1 1983	REC	EIVED
RECEIVA	RESOURCES DEPT. State Permit No.	APR	2 7 1983
THE THOMAN APR 15 1983	SALEM, OREGON WA		OURCES DE
(I) OWNER: WATER RESOURCES	(10) LOCATION OF WELL:	SALEM	OREGON
Name from Humman SALEM. OREGO	County Driller's well	number	- OULCON
Address RT Box 869	5 W 4 5 E 4 Section 20 T/85	R. 465	W.M.
City Odif State State	Tax Lot # Lot Blk Address at well location:	Subdiv	ision
(2) TYPE OF WORK (check):	Address at well location:	-	
New Well Deepening □ Reconditioning □ Abandon □ If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	
	Depth at which water was first found		50 ft.
		and surface. D	
Rotary Air	Artesian pressure lbs. pe	r square inch.	Date
Bored Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below	casing	12
CASING INSTALLED: Steel Y Plastic	Depth drilled / Z . ft. Depth of c		
CASING INSTALLED: Steel Plastic Threaded Welded Welded Welded GL	Formation: Describe color, texture, grain size and struthickness and nature of each stratum and aquifer penetror each change of formation. Report each change in page 10.	trated, with a	t least one entry
"Diam. from	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL		% SWL
"Diam. from ft. to ft. Gauge	Soil	0 3	3
(6) PERFORATIONS: Perforated? ☐ Yes ➤ No	br clay	3 3	
Type of perforator used	gray Clay (HARD)	30 50	
Size of perforations in. by in.	gray clay (fractured)	50 7	
perforations from ft. to ft.	gray clay CHARD)	70 la	5
perforations from ft. to ft.			
perforations from ft. to ft.			
(7) SCREENS: Well screen installed? Yes YNo			
Manufacturer's Name			-
Type Model No.			
Diam. Slot Size Set from ft. to ft. to ft.			
Diam. Slot Size Set from ft. to ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
a pump test made? Yes No If yes, by whom?			
d: 320, Estimologal/min. with ft. drawdown after hrs.			
Air test gal./min. with drill stem at ft. hrs.			
Bailer test gal./min. with ft. drawdown after hrs.			
sian flow g.p.m.			
Superature of water 225 Depth artesian flow encountered ft.	Work started 10-6 1982 Complete	ed /	0-161982
(9) CONSTRUCTION: Special standards: Yes No 🗆	Date well drilling machine moved off of well		<u>2-161982</u>
Well seal—Material used 25 20 CRS PON 2211 COMP	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct s		
Diameter of well bore to bottom of seal	and information reported above are true to my b		ge and bener. 19
Diameter of well bore below sealin.	(Drilling Machine Operator)		·
Number of sacks of cement used in well seal sacks How was cement grout placed? P. C. M. P. C.	Drilling Machine Operator's License No		
How was cement grout placed:	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction	and this re	port is true to
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief.	/ [
Was a drive shoe used? ☐ Yes 🕍 No Plugs Size: location ft.	Name	(<i> </i>	ype or print)
Did any strata contain unusable water? Yes No	Address Bux 351 Uale	Con	97918
Type of Water? depth of strata	Isimul Delin & 11	und	l
Method of sealing strata off	[Signed] (Water Well Contract	tor)	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No	10	19.8.3
Gravel placed from			