ADEM, ORDGON GILLIAM OREGON	Drawdown is amount water	level is
1) OWNER:	lowered below static level	111
ame Roy J. Nesm	Was a pump test made? Yes No If yes, by whom?	
ddress RX 1 Box 91	Yield: \$200 gal./min. with 59 ft. drawdown after	
Ontario, Oregon	j) j) j)	
	,, ,,	**************************************
2) LOÇATION OF WELL:	Bailer test gal./min. with ft. drawdown after	er hrs.
ounty Many Owner's number, if any	Artesian flow g.p.m. Date	<del></del>
1/4 1/4 Section 22 T. 18 5 R. 46 E.W.M.	Temperature of water 55 Was a chemical analysis made?	☐ Yes 🖟 No
Bearing and distance from section or subdivision corner 142 E (7)		
Subdivision Corner	(12) WELL 1300.	inches.
	Depth drilled //6 It. Depth of completed wen	/18 ft.
	Formation: Describe by color, character, size of material and	l structure, and
	Formation: Describe by color, character, size of material and show thickness of aquifers and the kind and nature of the n stratum penetrated, with at least one entry for each change	e of formation.
		OM TO
		0 7
(3) TYPE OF WORK (check):	- Drown - Old	7 29
New Well Deepening Reconditioning Abandon	Hara	1 2 1
andonment, describe material and procedure in Item 11.	Brown Sandy Clay 2	
		10 53
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Brown Clay	3 6/
Domestic □ Industrial □ Municipal □ Rotary □ Driven □ Cable □ Jetted □	RIVE CIOY 6	
Irrigation Test Well   Other   Dug   Bored	Blue Sandy Clay	7 73
	Rive Clay 9	3 109
(6) CASING INSTALLED: Threaded Welded W	Blue Sandy Closy 10	19 118
Diam. from ft. to ft. Gage 6025	RINCK SUNOL 1	15-118-
" Diam. from ft. to ft. Gage		
"Diam. fromft. toft. Gage		
Diani, Iron	2	
(7) PERFORATIONS: Perforated? WYes I No	200 Sept 100	
Type of perforator used Torch Cut		
SIZE of perforations in. by 12 in.		
3.2 perforations from		7.7
perforations from ft. to ft.		
perforations fromft. toft.		
perforations fromft. toft.		
perforations fromft. toft.		
(8) SCREENS: Well screen installed ☐ Yes ☐ No		
Manufacturer's Name		
Type Model No		
Slot size Set from ft. to ft.		Talasta e estati
Diam, Slot size Set from ft. to ft.	Work started 19 . Completed	
Diditi		
(9) CONSTRUCTION:	(13) PUMP: Parand tes	et Pum
Was well gravel packed?  Yes No Size of gravel:	Manufacturer's Name Pomond Te	
Gravel placed fromft. toft.	Type: Turpine H.F	,
Was a surface seal provided? Yes \( \subseteq \text{No To what depth?} \) ft		
Material used in seal KCITTUITI	Well Driller's Statement:	
Did any strata contain unusable water?   Yes No	This well was drilled under my jurisdiction and	this report is
Type of water? Depth of strata	true to the best of my knowledge and belief.	
Method of sealing strata off	NAME Harold A Hal	rting
	(Person, firm, or corporation) (Type	or print)
(10) WATER LEVELS:	Address Box 164 Orthorio,	OFEL
Static level 24 ft. below land surface Date	<del>-</del>	
Artesian pressure lbs. per square inch Date	Driller's well number	. 4
	Of ME 26 stante	
Log Accepted by:	[Signed] (Well Driller)	
[Signed] Date Date 27, 196	License No. 273 Date 1/2	, 1964
[Digital   Mowner	LICELISE 110	•