Duplicate with the STATE ENGINEER, SALEM OREGON	F OREGON State Permit No	
(1) OWNER: STATE ENGINEER	(11) WELL TESTS: Drawdown is amount water byel is Water	
Name Oregon IndustrSel Company	lowered below static level 1 calling was co	3r
Address 789 N. E. 1st St.	Was a pump test made? XYes \(\subseteq \) No If yes, by whom? Lifter	
Ontario, Oregon	Yield: 120 gal./min. with 40 ft. drawdown after 48 hrs.	
Ontario, oregon	n n n	
(2) LOCATION OF WELL:	33 33 33	
County Malheur Owner's number, if any— 8	Bailer test gal./min. with ft. drawdown after hrs.	مد ث.
NW 14 14 Section 3 T. 18 R. 47 E W.M.	Artesian flow no g.p.m. Date	-د.وي
Bearing and distance from section or subdivision corner	Temperature of water 58 Was a chemical analysis made? Yes XNo	es ins.
	(10) YYYYY T T C C	
S 83° 26' W 840 ft. from SE Cor.,	(12) WELL LOG: Diameter of well8 inches.	
NW ¹ ₂ , S. 3, T. 18 S R 47 E.W.M.	Depth drilled 40 ft. Depth of completed well 40 ft.	
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each	
	stratum penetrated, with at least one entry for each change of formation.	Sie
	MATERIAL FROM TO	
TYPE OF WORK (check):	Sand, gravel & blue shale	-kerr
Reconditioning ☐ Abandon ☐	- Danu, Stavet & Ditte Share	
If abandonment, describe material and procedure in Item 11.		
The state of the s		e :
(4) PROPOSED USE (check): (5) TYPE OF WELL:		-y=
Domestic Industrial X Municipal Rotary Driven		
Cable		APMO
Igation Test Well Other Dug Bored		
(6) CASING INSTALLED: Threaded □ Welded 🔯		£
B		
		·
"Diam. fromft. toft. Gage		E,
" Diam. from		
(7) PERFORATIONS: Perforated? ₩ Yes □ No		
SIZE of perforations 3/8 in by 6 in 450 perforations from 13 5 ft. to 40 ft.		
perforations fromft. toft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations fromft. toft.		
(8) SCREENS: Well screen installed X Yes ☐ No	TPU	·
ufacturer's Name Parma Water Lifter		***
		der 1%
Type Bronze Perforations del No.		E. L.
Diam. 6. Slot size 3/8 Set from 38. ft. to 40. ft.	Work started Sept. 10 57 Completed Sept. 10 57	
Diam. Slot size Set from ft. to ft.	Work started 19 . Completed 19	p. N
CONSTRUCTION:	(13) PUMP:	
s well gravel packed? Yes Yes Size of gravel:		
Gravel placed fromft. toft.	Manufacturer's Name Turbine	55.ik
	Type: H.P.	4-16-00
Was a surface seal provided? Yes No To what depth? Material used in seal—	Mall Duillante Statements	
Did any strata contain unusable water? Yes No	Well Driller's Statement:	
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Type of water? Depth of strata	A Commence of the state of the	
Method of sealing strata off	NAME AL SPREE	
(10) WATER LEVELS:	(Person, firm, or corporation) (Type or print)	
Static level 18 ft. below land surface Date Sept.	gAddress & 1 S. E. G. L. COOL	
Artesian pressure NONE lbs. per square inch Date		
	Driller's well number	-
Log Accepted by: OREGON INDUSTRIES COMPANY	[Signed]	
[Signed Par 7 Marks 19	(Well Driller)	
(wner)	License No. 226 Date 4-28 1958	
por de	THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRE	