	10,
ORIGINAL WATER WE	LL REPORT State Well No. 18/47 - 3 C (2)
File Original and Duplicate with the STATE ENGINEER, (1310)	OREGON G807 State Permit No.
SALEM, OREGON	1
(1) OWNER:  Name Oregon Industries Company  700 N F let St	l"
Name Oregon Industries Company Address 789 N. E. 1st St.	Was a pump test made? XYes \( \subseteq \text{No If yes, by whom? HYSEII} \) Yield: 300 gal./min. with 45 ft. drawdown after 48 hrs.
Ontario, Oregon	yield: Joy gar/min, water 19 "
Untarro, oregon	n n n
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdown after hrs.
County Malheur Owner's number, if any	Artesian flow g.p.m. Date
SE 14 NW 14 Section 3 T. 18 R. 47 E W.M.	Temperature of wate 60 Fwas a chemical analysis made?   Yes No
Bearing and distance from section or subdivision corner  N 18° 12' W 552.6 ft. from NE Cor.,	(12) WELL LOG: Diameter of well 12 inches.
SENW Sec. 3 T 18 S R 47 E.W.M.	Depth drilled 35 ft. Depth of completed well 35 ft.
The state of the s	Formation: Describe by color, character, size of material and structure, and
The second of th	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
The second secon	MATERIAL FROM TO
	Drilled through silt into
TYPE OF WORK (check):  Reconditioning  Abandon	gravel, into blue shale,
New Weil  Deepening  Reconditioning  Abandon  I	filled well with gravel
	from 60 feet up to 45 feet
(4) PROPOSED USE (check): (5) TYPE OF WELL:	
Rotary Driven	
rigation	
(6) CASING INSTALLED: Threaded Welded X	The state of the s
12." Diam. from 0 ft. to 60 ft. Gage	
" Diam. fromft, toft. Gage	
"Diam. fromft, Gage	
(7) PERFORATIONS: Perforated? X Yes No  Type of perforator used Acytelene	20 7/ 1/2
3/9 in by 6 in	The state of the s
SIZE of perforations J/Q in. by 0 ft. to	
perforations fromft. toft	कार प्रकार के बाद के लेक्किक के नाम करेंद्र के लेकिक के कार के किस क विकार के किस
perforations fromft. toft toft	
perforations fromft_ toft	
perforations from ft. to ft	
(2) SCREENS: Well screen installed X Yes   No	
(8) SCREENS: Well screen installed X Yes   No nufacturer's Name Parma Water Lifter	
Type Perforated Suctiondel No.	
Diam. 6!1 Slot siz3/8!1 Set from 40 ft. to 45 ft	
Diam. Slot size Set from ft. to ft. to	Work started June 19 56 Completed June 19 56
Diam. Slot size See 1500	
(9) CONSTRUCTION:	(13) PUMP: Fiese and Firstenberger
was well gravel packed?   Yes  No Size of gravel:	Manufacturer's Name
Gravel placed fromft. toft.	Type: Turbine H.P. 3
Was a surface seal provided?   Yes   No To what depth?f	Well Driller's Statement:
Material used in seal—	This well was drilled under my jurisdiction and this report is
Did any strata contain unusable water? Yes No	true to the best of my knowledge and belief.
Type of water.	C. H.Stanbery
Method of sealing strata off	NAME: (Person firm, or corporation) (Type or print)
(10) WATER LEVELS:	956Address Ontario, Oregon
Static level 18 ft. below land surface Date June 1	
Artesian pressure none lbs. per square inch Date	Driller's well number
Log Accepted by: OREGON INDUSTRIES COMPANY	[Signed] A Markhely
[Signed] 7 ML Date 2-26 , 19.5	
[Signed] Date 2720 19	License No Date APIVI 24 , 19 July 19 J