ORIGINAL File Original and Duplicate with the STATE ENGINEER, SALEM, OREGON	
(1) OWNER: Name Oregon Industries Company Address 789 N. E. 1st St. Ontario, Oregon	Orawdown is amount water level is lowered below static level Harrod & Was a pump test made? XYes INO If yes, by whom? Hysell Yield: 600 gal./min. with 35 ft. drawdown after 48 hrs. """""""""""""""""""""""""""""""""""
(2) LOCATION OF WELL: County Malheur Owner's number, if any— SE 1/4 NW 1/4 Section 3 T. 18 R. 47 E. W.M. Bearing and distance from section or subdivision corner	Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 58 was a chemical analysis made? Yes No
N 31° 55' W 540.8 ft. from NE Cor SENW S 3 T 18 S R 47 E.W.M.	(12) WELL LOG: Diameter of well 12 inches. Depth drilled 35 ft. Depth of completed well 35 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 11.	Drilled through gravel into blue shale
(4) PROPOSED USE (check): Commestic Industrial Municipal	
(6) CASING INSTALLED: Threaded □ Welded □X 12 "Diam. from 0 ft. to 35 ft. Gage "Diam. from ft. to ft. Gage "Diam. from ft. to ft. Gage	
(7) PERFORATIONS: Type of perforator used Acytelene SIZE of perforations 3/8 in. by 6 in. 350 perforations from 10 ft. to 35 ft. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft.	
(8) SCREENS: Well screen installed X Yes I No Parma Water Lifter Type Perforated Suction No. Plant 6! Slot size 3/8 Set from 30 ft. to 35 ft.	
Diam. 611 Slot size 3/8 Set from 30 ft. to 35 ft. Diam. Slot size Set from ft. to ft.	Work started Julie 1970. Completed Julie 1970.
Vas well gravel packed? ☐ Yes XNo Size of gravel:	Well Driller's Statement: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Method of sealing strata off (10) WATER LEVELS: Static level 18 ft. below land surface Date June 19 Artesian pressure none bbs. per square inch Date	NAME C. H. Stanbery (Person, firm, or corporation) (Type or print) Address Ontario, Oregon Driller's well number
Log Accepted by: OREGON INDUSTRIES COMPANY [Signed] Date 2-86 , 19 58	[Signed] (Well Briller) License No. 47 Date April 24 , 19 58