## 18/47-3F/2 ORIGINAL WATER WELL REPORT State Well No. ..... File Original and Duplicate with the STATE ENGINEER, SALEM, OREGON \_\_ STATE OF OREGON G807 State Permit No. ..... NEM 40 1844 Drawdown is amount water level is lowered below static level (11) WELL TESTS: (1) OWNER: Was a pump test made? Yes No If yes, by whom? Not avail-Oregon Industries Company ft. drawdown after able hrs. gal./min. with 789 N. E 1st St. Address Ontario, Oregon (2) LOCATION OF WELL: gal./min. with ft. drawdown after Bailer test Malheur Owner's number, if anyno g.p.m. Date Artesian flow NW 1/4 % Section 3 T. 18 R. 47 E.W.M. Temperature of water 54 Was a chemical analysis made? Yes Bearing and distance from section or subdivision corner N 82 18 W 486.78 ft. from SE Cor. Diameter of well ......16...... inches. (12) WELL LOG: NW 2 S 3 T 18 S R 47 E.W.M. Depth drilled 80 ft. Depth of completed well 80 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL Unknown TYPE OF WORK (check): Reconditioning [ Abandon [ ew Well 🔼 Deepening [ If abandonment, describe material and procedure in Item 11. (4) PROPOSED USE (check): (5) TYPE OF WELL: Rotary 📑 Driven omestic 🗌 Industrial 🔀 Municipal 🗌 Jetted Cable rigation | Test Well | Other Bored Threaded | Welded | (6) CASING INSTALLED: 16 " Diam. from Unknown to ft. Gage ..... " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage \_\_\_\_ (7) PERFORATIONS: Perforated? XYes | No Type of perforator used Acytelene 3/8 in by 6 SIZE of perforations 1120 perforations from 10 ft. to 80 ft. perforations from \_\_\_\_\_\_ft. to \_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ perforations from \_\_\_\_\_\_ft. to \_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ Well screen installed 2 Yes | No (8) SCREENS: Anufacturer's Name Oregon Industries Co. Type Slot Perforations Model No. Diam. 6 Slot size 3/8 Set from 50 ft. to 60 ft. 1948 Completed Diam. Slot size Set from ft. to ft. Work started (13) PUMP: 9) CONSTRUCTION: Pomona as well gravel packed? Yes No Size of gravel: Manufacturer's Name ..... Type: Turbine H.P. 15 Gravel placed from \_\_\_\_\_ft. to \_\_\_\_\_ft. Was a surface seal provided? Yes No To what depth? ..... Well Driller's Statement: Material used in seal— This well was drilled under my jurisdiction and this report is Did any strata contain unusable water? 🗌 Yes 🙀 No true to the best of my knowledge and belief. Type of water? C. H. Stanbery (Type or print) Method of sealing strata off (10) WATER LEVELS: Ontario, Oregon Address .... ft. below land surface Date 1948 Static level 18\_

Driller's well number\_

Date April 24 ....., 19 ... 58

[Signed] ...

Artesian pressure none lbs. per square inch Date

Log Accepted by: OFE CON INDUSTRIES COMPANY

Date 2-26 , 19 58