ORIGINAL	LL REPORT (State Well No. 16/47 - 4H(1)
File Original and	
Duplicate with the STATE ENGINEER, SALEM, OREGON STATE OF	F OREGON State Permit No. 6535
(1) OWNER: SALEM, OREGON	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Name / / / / / / / / / / / / / / / / / / /	Was a pump test made? [Yes No If yes, by whom?
Address 44 / VV 5 AVE	Yield: gal./min. with ft. drawdown after hrs.
$= ON / 77 / 70 \cdot ON \mathcal{E}(z) N$	" " " " " " " " " " " " " " " " " " "
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdown after hrs.
County MALITEUR Owner's number, if any—	Artesian flow g.p.m. Date
SE 14 NE 14 Section 4 T. 183 R. H7 E W.M. Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? Yes No
bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well
	Depth drilled 47 ft. Depth of completed well 47 ft.
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each
	show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
	MATERIAL FROM TO
TYPE OF WORK (check):	DIRT+CLAY FROMSURFACE 14F
w Well 🛣 Deepening 🗆 Reconditioning 🖂 Abandon 🗔	GRAVEL 14 16
If abandonment, describe material and procedure in Item 11.	SAND 16 28
(4) PROPOSED USE (check): (5) TYPE OF WELL:	BLUE SHALE 18 52
Domestic Industrial Municipal Rotary Driven	JACK SAND 32 67
gation X Test Well Other Dug Bored	
	7 7 7 7 7
(6) CASING INSTALLED: Threaded Welded	
"Diam. from 28-4 ft. to 67 ft. Gage 51. D. "Diam. from 28-4 ft. to 67 ft. Gage	
"Diam. from K. a. 7. ft. to ft. Gage ft. Gage ft. to ft. Gage	
Didni, Ironi accommendation It. Gage	
(7) PERFORATIONS: Perforated? ★Yes □ No	
Type of perforator used	
SIZE of perforations // / / in. by in. perforations from /3 ft. to 2.8 ft.	
perforations from ft. to ft.	
perforations fromft. toft.	
perforations from ft. to ft.	
perforations from ft. to ft.	
(8) SCREENS: Well screen installed Yes You	675
facturer's Name	
Type Model No.	
Diam Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	Work started 19 Completed 19
CONSTRUCTION:	(13) PUMP:
well gravel packed? XYes □ No Size of gravel:	Manufacturer's Name LAVNE+BOWLER
Gravel placed from 5.4. R.FACE ft. to ft.	Type: TURBINE HP. 3.
Was a surface seal provided? Yes No To what depth?	
Material used in seal— Did any strata contain unusable water? Yes No	Well Driller's Statement:
Type of water? SURFACI Depth of strata	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Method of sealing strata off	AI CTALLET
(10) WATED TEVETS.	NAME (Person, firm, or corporation) (Type or print)
(10) WATER LEVELS: Static level / ft. below land surface Date	Address 2 7/ S 5 6 TH AV 5
Artesian pressure A/A/A/ lbs. per square inch Date	Drillor's wall number
	Driller's well number
Log Accepted by:	[Signed]
[Signed] July Market Date 28 , 187	(Well Driller) License No
· · · · · · · · · · · · · · · · · · ·	1 Land 13 13 15