

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED WATER WELL REPORT JUL 10 1964 STATE ENGINEER

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

State Well No. 18/47-7 F

State Permit No.

(1) OWNER:

Name City of Ontario Address Ontario Oregon Golf Course Well

(2) LOCATION OF WELL:

County Malheur Driller's well number SE 1/4 NW 1/4 Section 7 T. 18S R. 47E W.M. Bearing and distance from section or subdivision corner NEAR EAST SIDE OF BIG LAKE HAZARD.

(3) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(5) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [x] Jetted [ ] Dug [ ] Bored [ ]

(6) CASING INSTALLED:

12" Diam. from 0 ft. to 48 ft. Gage 4

(7) PERFORATIONS:

Type of perforator used TORCH Size of perforations 3/8 in. by 6 in. 177 perforations from 36 ft. to 48 ft.

(8) SCREENS:

Well screen installed? [ ] Yes [x] No Manufacturer's Name Type Model No. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal CLAY Depth of seal 20 ft. Was a packer used? SAND Diameter of well bore to bottom of seal 14 in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [x] Yes [ ] No Was well gravel packed? [ ] Yes [x] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 26' ft. below land surface Date 5-28-64 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [ ] No If yes, by whom? DRILLER Yield: 100 gal./min. with 20 ft. drawdown after 6 hrs.

(12) WELL LOG:

Diameter of well below casing 11 3/4 Depth drilled 55 ft. Depth of completed well 52 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Entries include SOIL SAND, CLAY, SAND, GRAVEL SAND, GRAVEL MEDIUM, CLAY BASE.

Work started 5-26 1964 Completed 5-28 1964 Date well drilling machine moved off of well 5-28 1964

(13) PUMP:

Manufacturer's Name LAMME & BECKER Type TURBINE H.P. 3 HP

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME HOLLOWAY DRILLING CO. (Person, firm or corporation) (Type or print)

Address ONTARIO OREGON

Drilling Machine Operator's License No. 100

[Signed] Max Holloway (Water Well Contractor)

Contractor's License No. 16 Date 7-9 1964