NOTICE TO WATER WELL CONTRACTOR E VE D The original and first copy of this report are to be 0 CT 1 1965 WATER WELL REPORT filed with the State Well No. 18/47 - 9 B			
STATE ENGINEER, SALEM, OREGON STATE ENGINEER STATE OF OREGON Within 30 days from the date. The date of well completion. SALEM OREGON (Please type or print)			
(1) OWNER:	(11) WELL TESTS. Drawdown is amount water level is		
Name 1 ReSIIRO, 1/AlloW ColloGo,	lowered below static level		
Address ONTARIA OROGON	Was a pump test made? The No If yes, by whom? Riller Yield: 4.58 gal./min. with 3.5 ft. drawdown after 30 hrs.		
	" " "		
(2) LOCATION OF WELL:	27 27 27 27 27 27 27 27 27 27 27 27 27 2		
County MALHOIIR Driller's well number	Bailer test gal./min. with ft. drawdown after hrs.		
NW 14 NE 14 Section 9 T. 18 S-R. 17 E W.M.	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner	Temperature of water		
LOCATION IN CITYOF ONTARIO	Diameter of well below casing		
A C ALANDIC STERNING	Depth drilled 55 ft. Depth of completed well 50 ft.		
25 West of MAIN BUILDING	Formation: Describe by color, character, size of material and structure, and show thickness of aguifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.		
(3) TYPE OF WORK (check):	MATERIAL FROM	I TO	
Well Deepening □ Reconditioning □ Abandon □	-30/L SANAY, C	7.3	
If abandonment, describe material and procedure in Item 12.	Chay yollow 3	17	
(4), PROPOSED USE (check): (5) TYPE OF WELL:	CRAVERS CEMENTED 17	1 10	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	GRAVEL MEDIUM	2 2 3	
Irrigation Test Well D Other	CLAY BLUE, 4	350	
Dug Bored	CLANTBLACK SAND 50	255	
(6) CASING INSTALLED: Threaded Welded		<u> </u>	
"Diam. fromft. toft. Gage			
"Diam. from ft. to ft. Gage			
(7) PERFORATIONS: Perforated? Yes \(\pi \) No			
Type of perforator used 70 KC, 7			
Size of perforations //g in. by in.			
perforations fromft. toft. perforations fromft. toft.			
perforations fromft. toft.			
perforations from ft. to ft.			
perforations fromft. toft.		. 2	
(8) SCREENS: Well screen installed? ☐ Yes ☐ No	The first state of the state of		
Manufacturer's Name			
Model No.			
Diam. Slot size Set from ft. to ft.	Work started 8-27 19/25 Completed 9-1	19/5	
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well	196.5	
(9) CONSTRUCTION:	(13) PUMP:		
Well seal-Material used in seal CONCRETE	Manufacturer's Name NO PUMP VE7	4.	
Depth of sealft. Was a packer used? 54 NA	Type: H.P.		
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:		
Were any loose strata cemented off? Yes No Depth			
Was well gravel packed? W Yes □ No Size of gravel:	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Gravel placed fromft. toft.	NAME HOLLOWAY DRILLING G.		
Did any strata contain unusuable water? Tyes DNO Type of water? depth of strata	Address (DATARIO) (Person, firm or corporation) Address (DATARIO)		
Method of sealing strata off			
10) WATER LEVELS: Drilling Machine Operator's License No			
Static level /2 ft. below land surface Date 9-1-15 [Signed] May Hallaway			
Artesian pressure Ibs. per square inch Date Contractor's License No. Date 9 + 18			

(USE ADDITIONAL SHEETS IF NECESSARY)