	CILLERS REPORT   Do Not State Well No.   18/47 -// C°
Duplicate with the STATE ENGINEER, 650 STATE OF	OREGON <sub>G-119</sub> Fill In State Permit No. G-999
(1) OWNER:	(10) WELL TESTS:
Name City of Ontario	Was a pump test made? H Yes D No If yes, by whom? Driller
Address Box 119	Yield: gal./min. with ft. draw down after hrs.
	<u>" 715.0 " 15.7 " 8 "</u>
Ontario, Oregon	=   <del>" 900 " 30.8 " 8 "</del>
(2) LOCATION OF WELL:	Artesian flow None g.p.m.
County Malheur Owner's number, if any - Mun. #3	Shut-in pressure
R. F. D. or Street No. R. F. D. 4250 River Road Ontari	
Bearing and distance from section or subdivision corner	Temperature of water 56-61Was a chemical analysis made? A Yes No
1115.0 ft. E. and 188.0 ft. N. from S.E.	Was electric log made of well? ☐ Yes ☐No
corner of the N.W. of N.W. Sec. 11 T. 18	
R. 17E.W.M.	— (11) WELL LOG:
(3) TYPE OF WORK (check):	Diameter of well, inches.
	Total depth 83 8 ft. Depth of completed well 83 8 ft.
<del></del>	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each
. abandonment, describe material and procedure in Item 11.	Stratum penetrated, with at least one entry for each change of formation.
(4) PROPOSED USE (check): (5) EQUIPMEN	
Domestic ☐ Industrial ☐ Municipal  Rotary Cable	
rigation  Test Well  Other  Dug Well	Z G Salidy Soll
	-   O " 17% "Coarse: Gravel and Clay
(6) CASING INSTALLED: If gravel packed	NE 12 LINE SEMM SHO CONTRO CLEAGE
Threaded □ Welded ## Gage	19 40 Quarte Sand
FROM ft. to ft. Diam. Wall of Bore ft.	to 40 " 47½ " Blue Shale: 47½ " 52½ " Fine Sand
"45' " "30" 3/8 " Between Casings	
"83" "14" 3/8 " gravel packed 8	52 " 83 '8 Water Bearing Sandy Shale
19 11 11 11 11	11 11
10 10 11 11 11	n n
705041	11 11
Type and size of shoe or well ring Size of gravel: 3 - 2	н п
Describe joint 3 Pass Welded	" "
(7) PERFORATIONS:	1)
Type of perforator used Custom made knife	" "
SIZE of perforations 318 in., length, by 3/8"	<u>in.</u> " "
FROM ft. to ft. perf per foot No. of r	<del></del>   1
ng " " " " " " " " " " " " " " " " " " "	, , , , , , , , , , , , , , , , , , , ,
15 201" 831 " 8 " " 60 " "	" " "
30 <del>* " 20* " 45* " 20 " " 40 " "</del>	" " " " " " " " " " " " " " " " " " "
1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1	
SCREENS:	H H
Give Manufacturer's Name, Model No. and Size	" "
None	
(8) CONSTRUCTION:	
Was a surface sanitary seal provided? L Yes No To what depth	
Were any strata sealed against pollution? ☐ Yes 🛣 No If yes, note depth of strata	Ground elevation at well site21435
FROM ft. to ft.	Work started February 19 56. Completed May 19 56
n n	Well Driller's Statement:
METHOD OF SEALING	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
(9) WATER LEVELS:	NAME Wilbur C. Skinner  (Person, firm, or corporation) (Typed or printed)
Depth at which water was first found 1011 Standing level before perforating 8151	III.
Standing lever before perforating	ft. Address Rt. 2, Box 244 Ontario, Oregon
Standing level after perforating 101.	ft. Driller's well number
Log Accepted by:	[Signed] Willow C. Shim
[Signed] City of Unitario Dated 1/- 26 19.	(Well briller)
[Signed] City of antaxio Dated //- 26 , 19.	License No. 68 Dated May 30 , 19.56
134 JA NUESWER	