			712
NOTICE TO WATER WELL CONTRACTOR			
The original and first copy of this report are to be WATER WE	LL REPORT MA	1	ba
filed with the	F OREGON State Well No.	19/47-	29 昼
STATE ENGINEER SALEM. OREGON 97310 La ve and a second 1.1.	an an amint		
within 30 days from the date of well completion.	above this line) State Permit N	To	
The same of the sa	G 5/42		
(1) OWNER: SALEM OREGON	(11) LOCATION OF WELL:		
Name OUIN FROERER	County MALHE, URBriller's well n	umhar	
	5W 1/4 NW 1/4 Section 29 T. 19 R. 47 E' W.M.		
Address Nyssa ORegon	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			A/2 #
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	1325 South of	N-WLI	IVE _
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):			
Rotary Driven Demostic Demostic Definition Description	(12) WELL LOG: Diameter of well	below casing	2
Cable	Depth drilled 43 ft. Depth of comp.	leted well 93	ft.
	Formation: Describe color, texture, grain size		
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratu with at least one entry for each change of forn		
J." Diam. from ft. to ft. Gage 4	in position of Static Water Level as drilling pr		
" Diam. fromft. toft. Gage	MATERIAL	From To	SWL
" Diam. from ft. to ft. Gage	SOIL SANDIL.	0 7'	
PERFORA'TIONS: Perforated? Yes No.	GRAVEL CEMENTED	71 20	
Type of perforator used FACTORV PIPE	SAND+GRAVEL	40134'	26
	CLAV, BLUE	3482	24
Size of perforations in. by in.	SAND BLACK	P1 83'	34'
/ 8 2 perforations from 3.0 ft. to 3.6 ft.	CLAY, BLUE	83 90	94
perforations from ft. to ft.	_ SANG BLACK	90 93	23
perforations from ft. to ft.			<u> </u>
	·	 	
perforations from ft. to ft.			<u> </u>
(7) SCREENS: Well screen installed? Yes Yes			\$\frac{1}{2}.
Manufacturer's Name			-
Type Model No.			
Diam. Slot size Set from ft. to ft.			
Diam, Slot lize Set from ft. to ft.		 	
(8) WATER LEVEL: Completed well.			
Static level I D ft. below land surface Date 4-19-18			
1 1 69			· · ·
A. Sian pressure Ibs. per square inch Date	;; = ;; · .		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? TYes \(\) No If yes, by whom? DRILLER			1,4515
id: 100 gal./min. with / 5 ft. drawdown after 3/ hrs.	Work started 4 - 10 196 Scomplet	ted 4 - 19	196
The state of the s	Date well drilling machine moved off of well	1-10	19/
" " "	Duilling Machine On and only Condition diame	7	
1 min	This well was constructed under my d	irect supervision	Mate-
Bailer test 12-gal./min. with ft. drawdown after hrs.	rials used and information reported abo		
Artesian flow g.p.m. Date	knowledge and belief.		. 1~
Temperature of water	[Signed] (Drilling Machine Operator)	Date 4 - 30	, 19 6 .6
(10) CONSTRUCTION:	(Dining Macing Operator)	,	_
Well seal-Material used BeNtoNitet CeMeNT	Drilling Machine Operator's License No.	101	************
Depth of seal	Water Well Contractor's Certification:		
Diameter of well bore to bottom of sealinin	This well was drilled under my jurisdiction and this report is		
Were any loose strata cemented off? Yes Ano Depth	true to the best of my knowledge and belief,		
Was a drive shoe used? Yes \(\sigma\) No	NAME HOLLOWAYDR	1LhING	(0
Did any strata contain unusable water? Yes 2400	(Person, firm of corporation)	(Type or print)) — p
	Address ATAPIO	C60N	-
Type of water? ig-12 depth of strata	Desc. 1 21-01	Janaha 1	
Method of sealing strata off	[Signed] Mater Well Contra	accuracy ctor)	
Was well gravel packed? Wes No Size of gravel: 24 to 38			101
Gravel placed from ft. to ft.	Contractor's License No. Date	-201	, 19/ ₃