The original and first copy of this report are to be	REPORT  State Well No. C	21s /	4/1	F-17
filed with the STATE OF O		~~		
STATE ENGINEER, SALEM, OREGON 97310 (Please type of within 30 days from the date	State Permit No	0		ac
of well completion. (Do not write abo	VATED RESOURCES DEPT		2	· · · · · · · · · · · · · · · · · · ·
The second secon	A STATE OF THE STA		· £	
(1) OWNER:	(10) LOCATION OF WELL:			
Name // CA	County/1/4/19/1/R. Driller's well number			
Address MARIA ALGON	SE 1/4 NE1/4 Section / 3 T. J. SR. 46 E.W.M.			
	Bearing and distance from section or subdivision	on corner		
(2) TYPE OF WORK (check):				
New Well □ Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.			
Rotary Driven Domestic Industrial Municipal	Static level / ft. below land surface. Date			
Cable	Artesian pressure lbs. per square inch. Date			
Dig Boret Intgaton Zet was	Artesian pressure	——————————————————————————————————————		,
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well h	nelow casin	e /	· ·
"Diam. from T / ft. to 34 ft. Gage	Depth drilled A 4 ft. Depth of completed well 4 ft.			
"Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;			
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratur	m and aqui	ifer per	ıetrated,
	with at least one entry for each change of formal position of Static Water Level and indicate prin	tion. Report	t each c	hange in
PERFORATIONS: Perforated? Yes   No.		T T	T	
Type of perforator issed	MATERIAL	From	To	SWL
Size of perforations in in.	DOINONIVAY		يخ	
3. C perforations from 3. ft. to 3.7 ft.	(LAY SANCY)	1.5	76	30
per orations from ft. to ft.	Sand to jard	13 C c	76	_/
perforations fromft. toft.	-ERAVELANEGIUM	36	<u> </u>	<u> </u>
(7) SCREENS: Well screen installed? Yes No	- KOCKSANA	1753 15	74	10
		<del> </del>		
Manufacturer's Name  Type Model No.		<del> </del>		
	100	<del>                                     </del>		
Diam. Slot size Set from ft. to ft.  Diam. Slot size Set from ft. to ft.				· ·
Didnii Socialis Socia				·
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Wes □ No If yes, by whom?				
yeld: 5 gal./min. with 5 ft. drawdown after / hrs.				
" The state of the	* * * * * * * * * * * * * * * * * * * *			
Bailer test gal./min. with ft. drawdown after hrs.		<u> </u>		
Artesian flow g.p.m.				
perature of water 5 8 Depth artesian flow encountered ft.	Work started //-30 1976Complet	ed//	50	19
(O) CONCERNICATION	Date well drilling machine moved off of well	11-5	20	1976
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:	•		**
Well seal-Material used	This well was constructed under my	direct :	super	vision.
Well sealed from land surface to ft.	Materials used and information reported	above ar	e true	to my
Diameter of well bore to bottom of sealin.	best knowledge and belief,	Date //	-10	1076
Diameter of well hore below seal in.	(Drilling Machine Operator)		_	., 13/(6, /
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.	100		
Number of sacks of bentonite used in well seal sacks				
Brand name of bentonite / / / / / / Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:			
of water Ibs./100 gals.	This well was drilled under my jurisdiction and this report is			
Was a drive shoe used? Des \( \bar{\cappa} \) No Plugs Size: location ft.	true to the best of my knowledge and belief.			
Did any strata contain unusable water?  Yes	Name (Person, firm or corporation)	Typ	e or, pri	nt)
Type of water? depth of strata	Address MYAFIC() SE	26/1	Y	
	man win Man Man ball			
Method of sealing strata off	[Signed] Water Well Cont	tractor)	uci	1
Was well gravel placked? ☐ Yes ☐ No Size of gravel: ☐ Gravel placed from tt. to ft.		1/	30/	1001
Gravel placed from ft to ft.	Contractor's License No Date	p. p		, 10/