RECEIVED

MALH 51993

JAN 3 1 2003

STATE OF OREGON

WATER SUPPLY WENATER ORSOURCES DEPT.

AIER SUPPLI W	CHANA	ACE OFF		UEF
(as required by ORS 537		CALEM	OREGO	M
Tas required by UKA 337	//0011	JALLIVI.		N .

WELL I.D. #L 6634 START CARD# 148422

Instructions for completing this report are on the last page of this form.		
(1) LAND OWNER Well Number 61634	(9) LOCATION QF WELL by lega	l description:
Name Sames 11 Svaw	County Malker Latitude_	Longitude
Address 4337 Grand View Lane	Township 185 N or S Ban	ب ند ر د
City ONTavio State OK Zip 97914	Section 6 NW 1/4	
(2) TYPE OF WORK	Tax Lot 200 Lot 9 Blo	ockSubdivision Stra w
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest addre	1 /1992 5 5 7 7 7 1 1 1 1 1 1
(2) DDI I METHOD.		On torio, OR
(3) DRILL METHOD: □ Rotary Air □ Rotary Mud □ Cable □ Auger	(10) STATIC WATER LEVEL:	2 10
Other	9-10 ft. below land surface.	Date 12-18-0
	Artesian pressurelb. pe	
(4) PROPOSED USE: ☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation	(11) WATER BEARING ZONES:	
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	` '	. 7.1+
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found	13/1
Special Construction approval Yes No Depth of Completed Well 15 ft.	From To	Estimated Flow Rate SWL
Explosives used Yes No TypeAmount	13 15	DOGUM IIX
HOLE SEAL		80 gpm 9-10
	65 75	0097
12 0 30 12 may 0 20 22		
8 20 75		
	(12) WELL LOG:	
How was seal placed: Method DA DB C D DE Other Powel From Surface	Ground Elevation	
	Material	From To SWL
Backfill placed fromft. toft. Material	Waterial 10	15
Gravel placed fromft. toft. Size of gravel	1 -egip 50cr	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(6) CASING/LINER:	13h chy	4 15
Diameter From To Gauge Steel Plastic Welded Threaded	glove + Fark	13 75
Casing: 8 + 2 20 1250 15 0	I Jue Clay	15 65
	5 hattered Volus Elang	65 75 9-10
Liner:		
Drive Shoe used ☐ Inside ☐ Outside ☐ None		
Final location of shoe(s) 3047		
(7) PERFORATIONS/SCREENS:		
Perforations Method		
Screens TypeMaterial		
Slot Tele/pipe From To size Number Diameter size Casing Liner		
From 10 size Number Diameter 522		
	Date started 12-13-02-C	ompleted 12-18-02
(8) WELL TESTS: Minimum testing time is 1 hour		
Flowing Pump	(unbonded) Water Well Constructor Cert	
	I certify that the work I performed on the	e construction, alteration, or abandon-
TRIU GAVIIIII DITUICOVII	ment of this well is in compliance with Ore standards. Materials used and information r	eported above are true to the best of my
50gpm 14ft (In)	knowledge and belief.	
		WWC Number
	Signed	
Temperature of water Depth Artesian Flow Found	(bonded) Water Well Constructor Certifi	
Was a water analysis done?	I accept responsibility for the construct	ion, alteration, or abandonment work
Did any strata contain water not suitable for intended use?	performed on this well during the construct performed during this time is in compliance	ion dates reported above. All work with Oregon water supply well
□ Salty □ Muddy □ Odor □ Colored □ Other	construction standards. This report is true to	the best of my knowledge and belief.
Depth of strata:	la m 7	WWC Number
Deptil of State.	Signed	Date 1-10-03
	Thickeas N	· James Dulper
ORIGINAL – WATER RESOURCES DEPARTMENT FIRST	COPY - CONSTRUCTOR SECO	ND COPY - CUSTOMER \