STATE OF OREGON

WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form

WELL I.D. # L 6/635 START CARD # 146423

instructions for completing this report are on the last page of this torm.		Managari magani maga
(1) LAND OWNER DOWN Well Number (61635) Name Gayy	(9) LOCATION OF WELL by legal description: County Market Longitude Longitude	
Name Gary Domoy	County_Man_ewatitudeLongitude	
Address 110510 NW Sorting VIIIE Red 139	Township 5 3 N or S Range 42 6	E or W. WM.
City Portland State OV Zip 7239	Section 14 SW 1/4 SE	
(2) TYPE OF WORK	Tax Lot 300 LotBlock	Subdivision
New Well Deepening Alteration (repair/recondition) Abandonment	Tax Lot 300 LotBlockStreet Address of Well (or nearest address)	1 Ju 1 llow (veg
(3) DRILL METHOD:	Vd-	Brogan, OV
□ Rotary Air □ Rotary Mud □ Cable □ Auger	(10) STATIC WATER LEVEL:	1 20-03
Other	ft. below land surface.	Date
(4) PROPOSED USE:	Artesian pressurelb. per square inch	Date
☐ Domestic ☐ Community ☐ Industrial ☐ Irrigation	(11) WATER BEARING ZONES:	OUTCOME LA CONTRACTION DE CONTRACTIO
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	185	Lit
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found	
Special Construction approval Yes No Depth of Completed Well 2/2 ft.	From To Estimated	Flow Rate SWL
Explosives used Yes No Type Amount	185 315 120	09PM 26
HOLE SEAL		01
Diameter From To Material From To Sactoor pounds		
12 25 200		
10 200 315		
70 00 517	(12) WELL LOG:	
How was seal placed: Method A B C D E	Ground Elevation	
How was seal placed: Method DA DB CD DE Yother Poured from Surface		
Backfill placed fromft. toft. Material	Material From	To SWL
Gravel placed fromft. toft. Size of gravel	topsoil	6
(6) CASING/LINER:	Buclan 6	14
Diameter From To Gauge Steel Plastic Welded Threaded	large grevel 14	18
Casing: 12 +1 39 1250 4 0	Briclas 18	185
	Sandy in Chy 185	a95 26
	Sandy By Chy-ground 295	3/5
Liner: 10 +1 200,250 to		
Drive Shoe used Inside Qutside None Final location of shoe(s)		
(7) PERFORATIONS/SCREENS:		
Screens Type Material		
Slot Tele/pipe	RECEIVED	
From To size Number Diameter size Casing Liner		
180 200 6 200 14 10" 0	MAR 1 0 2003	
	WATER RESOURCES DEP	
	SALEM, OREGON	
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 1-03-03 Completed/	-30-03
Flowing	(unbonded) Water Well Constructor Certification:	
☐ Pump ☐ Bailer ☐ Air ☐ Artesian	I certify that the work I performed on the construction, al	teration, or abandon-
Yield gal/min Drawdown Drill stem at Time	ment of this well is in compliance with Oregon water supply	
900 63 H 1 hr.	standards. Materials used and information reported above are knowledge and belief.	true to the best of my
4hrs		umber
	Signed	Date
Temperature of water Depth Artesian Flow Found	(bonded) Water Well Constructor Certification:	\$1000000000000000000000000000000000000
Was a water analysis done?	l accept responsibility for the construction, alteration, or	
Did any strata contain water not suitable for intended use? Too little	I performed on this well during the construction dates reported above. All work	
Salty Muddy Odor Colored Other	performed during this time is in compliance with Oregon water supply wen	
Depth of strata:	11	umber 1485
•	Signed WWC N	Date 2 2 3 2 3 2 3
	<u> </u>	Constitution in the constitution of the consti