MALH 53627

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

12-14-2009

Page 1 of 2 WELL LABEL # L 100209

LEDE LINDEL II L	100203
START CARD#	1008833

(1) LAND OWNER Owner Well I.D. WELL # 6	(9) LOCATION OF WELL (legal description)					
First Name Last Name	County Malheur Twp 18.00 S N/S Range 47.00 E E/W WM					
Company STATE OF OREGON, OREGON MILITARY DEPARTMENT	Sec <u>9</u> <u>NE</u> 1/4 of the <u>SE</u> 1/4 Tax Lot <u>500</u>					
Address 1330 S.W. 4TH STREET	Tax Map Number Lot					
City ONTARIO State OR Zip 97914	Lat "o "or 44.01573600 DMS or DD					
(2) TYPE OF WORK New Well Deepening Conversion	Long 0 -116.97034700 DIVIS OF DE					
Alteration (repair/recondition) Abandonment	Street address of well Nearest address					
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud	1330 S.W. 4TH STREET, ONTARIO, OREGON					
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)					
	Existing Well / Predeepening					
(4) PROPOSED USE Domestic Irrigation Community Industrial Commercial Livestock Dewatering	Completed Well 12-11-2009 8.6					
Thermal Injection Other	Flowing Artesian? Dry Hole?					
	WA'IER BEARING ZONES Depth water was first found 9					
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy						
Depth of Completed Well 25.00 ft. BORE HOLE SEAL sacks/	12-04-2009 9 25 8.6					
Dia From To Material From To Amt Ibs						
12 0 /2 Bentonite 0 18 550 P						
8 18 25						
	(11) WELL LOG Ground Elevation					
How was seal placed: Method A B C D E	Material From To					
Other DRY POUR	TOP SOIL 0 3					
Backfill placed from ft. to ft. Material	BROWN CLAY 3 9					
Filter pack from ft. to ft. Material Size	GRAVEL 9 25					
Explosives used: Yes Type Amount	25 25 25					
(6) CASING/LINER						
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd						
6 15 20 .250						
	DECEIVED					
	MEDELYED					
Shoe Inside Outside Other Location of shoe(s) 20	1444 0 0 2010					
Temp casing Yes Dia From To	JAN 2 8 2010					
(7) PERFORATIONS/SCREENS	WATER RECOURSE DEAT					
Perforations Method	WATER RESOURCES DEPT					
Screens Type JOHNSON Material S.S.	SALEM, OREGON					
Perf/S Casing/ Screen Scm/slot Slot # of Tele/	Data Standard					
creen Liner Dia From To width length slots pipe size	Date Started 12-04-2009 Completed 12-11-2009					
Screen Casing 7 20 25 .1	(unbonded) Water Well Constructor Certification					
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well					
	construction standards. Materials used and information reported above are true to					
	the best of my knowledge and belief.					
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date					
Pump Bailer Air Flowing Artesian	Electronically Filed					
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed					
45 6.5 20 4	(bonded) Water Well Constructor Certification					
	I accept responsibility for the construction, deepening, alteration, or abandonment					
Temperature 60 °F Lab analysis Yes By	work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well					
Temperature 60 °F Lab analysis Yes By Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.					
From To Description Amount Units	License Number 1505 Date 12-14-2009					
	Electronically Filed					
	Signed TERRY DAUGHERTY (E-filed)					
	Contact Info (optional)					

WATER SUPPLY WELL REPORT continuation page

MALH 53627

WELL I.D. # L 100209 Page 2 of 2

12-14-2009

START CARD # 1008833

			NSTRUCTION				(10) STATI	C WATER	LEVEL			24
Dia B	ORE HO	To	Material	SEAL From	To A	sacks/ mt_lbs		ring Zones				
			Material	FIGH	10 A	108	SWL Date	From	To	Est Flow	SWL(psi)	+ SWL(ft)
		-										
										148		
	-											
							=======================================			-		
	EH TE	D D L CV										
I	FILTE	R PACK To M	laterial Size									
-												
L					-		(11) WELL	LOG				
(6) C	ASING	LINER						Material			From	To
Casir	ng Liner	Dia +	From To	Gauge Stl	Plstc W	ld Thrd						
Q	9				Q							
8	-8			+	\forall	+						
Ø	d				ď		-	_		- 12		
Q	Q			\square	Q							
8	-8		+	H 8	-8	H H						_
8	8			+	8						C 100 C 100 C	
O												
							I				-	-
			S/SCREENS	1000 T. 1000 TE		-						
Perf/S creen	Casing/ S Liner			rn/slot Slot width length		Tele/ pipe size						
]			70	-	_
					-	-						
											DECE	IVED
					1						NECE	IYLU
											IAN 9	8 2010
								12			JAN 2	0 2010
						-				WAT	ER RESO	URCES DEPT
							1				SALEM, C	
(8) W	ELL T	ESTS: M	linimum testing	time is 1 ho	ur							
	gal/min	Drawde		Pump depth	Duration	n (hr)	-	4.54 0				
Tield	i gai/min	Drawde	July Stemp	rump depui	Durano	11 (111)	Comments	Remarks				
			2 2 2 3 200			-						
Wa	ter Qua	lity Conce	erns									
Fro	m	То	Description	A	mount 1	Units	6"X8" K-PA	CKER LOCA	TED AT 15			
_												
							1					
_			2.0		-							