MALH 54147

MAIH 54147

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	85263
START CARD#	1023167

(1) LAND OWNER Owner Well I.D.	(0) I OCATION OF WELL (logal descript	tion)		
First Name Last Name	(9) LOCATION OF WELL (legal description) County MALHEUR Twp 21 S N/S Range 46 E E/W WM			
Company City of Adrian	Sec 15 NW 1/4 of the SW 1/4 To			
Address P.O. Box 226		ot ·		
City Adrian State OR Zip 97901	Lat " " or 43.74366	DMS or DD		
	Long " or -117.091796	DMS or DD		
(2) TYPE OF WORK New Well Deepening Conversion	Street address of well • Nearest address address			
Alteration (repair/recondition) Abandonment		U 33		
(3) DRILL METHOD	East of Clover Lane 1000'			
Rotary Air Rotary Mud Cable Auger Cable Mud	(10) CTATIC WATER LEVEL			
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWI	L(psi) + SWL(ft)		
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening			
Industrial/ Commercial Livestock Dewatering	Completed Well 07-01-2014	151		
		Hole?		
Thermal Injection Other	WATER BEARING ZONES Depth water was f			
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy		WL(psi) + SWL(ft)		
Depth of Completed Well 250 ft.	06-16-2014 150 151 151 06-17-2014 174 186 10	151		
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs	06-17-2014 186 200 10	151		
20 0 250 Cement 0 190 20 LIRA	1 00 17 2011	151		
20 0 250 Comon 0 170 20 MAS				
	(11) WELL LOC			
(11) WELL LOG Ground Elevation				
How was seal placed: Method A B XC D E		From To		
Other	Sandy Loam	0 15		
Backfill placed from 190 ft. to 195 ft. Material Bentonite	Medium to coarse sand Soft sandstone, clay mix	15 105 105 115		
The pack from 193 It. to 230 It. Material Said Size 6/12 Soft and hard brown clay		115 150		
Explosives used: Yes Type Amount	Coarse sand	150 151		
(6) CASING/LINER	Hard brown clay	151 174		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Coarse sand, pea gravel	174 186		
○ 12 × 2 207 .375○ ○ ×	Fine sand, sandy clay mix	186 198		
● ○ 12 □ 247 250 .375 ● ○ X □	Coarse sand, pea gravel	198 200 200 207		
	Brown sandy clay Coarse sand, pea gravel	207 235		
	Pea gravel to 1" rock, coarse sand	235 240		
	Fine - coarse brown sand	240 250		
Shoe Inside Outside Other Location of shoe(s)	RECEIVED BY OWRD	RECEIVED BY		
Temp casing Yes Dia From To	TIEGETY ED DI OVIND	· · · · · · · · · · · · · · · · · · ·		
(7) PERFORATIONS/SCREENS				
Perforations Method	AUG 2 1 2014	JUL 2 1 20°		
Screens Type Wire Wrap Material Stainless Ster				
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started on 16 2014	07.02.2014		
creen Liner Dia From To width length slots pipe size	Date Started 06-16-2014 Completed	07-02-2014 SALEM, OF		
Screen Casing 12 207 237 .035	(unbonded) Water Well Constructor Certification	,		
Screen Casing 12 237 247 .025 I certify that the work I performed on the construction, deepening, alteration, or				
	abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to			
the best of my knowledge and belief.				
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date			
Pump	1			
	Signed			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 50 9 205 12	(bonded) Water Well Constructor Certification			
		- alteration on the 1		
I accept responsibility for the construction, deepening, alteration, or abandom work performed on this well during the construction dates reported above. All v				
Temperature 62 °F Lab analysis Yes By		performed during this time is in compliance with Oregon water supply well		
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.			
From To Description Amount Units	License Number 1505 Date 07-14-2014			
	Password : (if filing electronically)	1 2017		
Signed M				
Contact Info (optional)				
ORIGINAL - WATER RESOURCES	DEPARTMENT			
THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.96				