The original and first copy of this report are to be filed with the

## **MALH 54553**

## WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

State	Well No.
State	Permit No.

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

		· · · · · · · · · · · · · · · · · · ·	
(1) OWNER:	(10) LOCATION OF WELL: No	5	
Name Gum Greek Farms. Inc.	County Malheur Driller's well no	mber	
Address P.O. Box 94 Jamieson, Oregon 97909	5N 14 SW 14 Section 5 T. 165	r. 43B	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	n corner	
New Well [2] Deepening [2] Reconditioning [2] Abandon [3]			
If abandonment, describe material and procedure in Item 12.	(44) ****	11	•
	(11) WATER LEVEL: Completed w	ėli.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	<del></del>	ft:
Cable & Jetted   Domestie   Industrial   Municipal	Static level 75 ft. below land s	urface. Date 1/30	771
Dug   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per squar	e inch. Date	
(5) CASING INSTALLED: Threaded Welded C7  16 - Diam. from O ft. to 20 ft. Gage 250	(12) WELL LOG: Diameter of well be Depth drilled 338 ft. Depth of comple	228	II n.
"Diam, from	Formation: Describe color, texture, grain size a	and structure of mat	eriais:
Diem. from ft. to ft. Gage	and show thickness and nature of each stratus	n and aquifer penet	trated,
(6) PERFORATIONS: Perforated?   Yes   No.	with at least one entry for each change of format position of Static Water Level and indicate prin		
Type of perforator used	MATERIAL	From To 5	TWL
Size of perforations in, by in,	Top soil	0 7	
perforations from ft. to ft.	Clay. light colored	1 90	
perforations from	Clay, blue 1st water	90 152	85
perforations from ft, to ft,	Clay, blue, hard to soft	152 260	80_
(#) CORPENS	Sand, white and gray, seashell	1260	
(7) SCREENS: Well screen installed?  Yes  No		<del></del>	
Type Model No.	Sand guay	260 277 277	
Diam. Slot size Set from ft. to ft.	Gravel, coarse, black Clay, very hard, tan to green		75
Diam. Slot size	Sand, black, water bearing	314 338	<u> </u>
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	- RECEIVED BY OWRD		
Was a pump test made? If Yes D No 11 yes, by whom? Driller			
Yield: 1400 gal./min. with 66 ft. drawdown after 42 hrs.	SEP 2 6 2014	<del></del>	
<i>a a a</i>	JET 2 4 2014		
* * * * * * * * * * * * * * * * * * * *			
Baller test gal./min. with ft. drawdown after hrs.	SALEM: UR		
Arterian flow g.p.m.			
Temperature of water 70 Depth artesian flow encountered	Work started 1/12 19 71 Complete	d 3/6	1971
(6) CONSTRUCTION.	Date well drilling machine moved off of well	3/6	1977
(9) CONSTRUCTION:  Well scal_Material usedBentonite	Drilling Machine Operator's Certification:	٠.	
Well sealed from land surface to	This well was constructed under my	direct supervis	slon.
Diameter of well bore to bottom of seal16in.	Materials used and information reported best knowledge and belief.	above are true k	о ту
Diameter of well bore below seelin.	[Signed](Drilling Machine Operator)	Date	19
Number of sacks of cement used in well seelRECEMED sacks	(Drilling Machine Operator)  Drilling Machine Operator's License No		
How was coment grout placed?	Drilling Machine Operator's Encense No.	*******************************	
JAN 1 1 2019	Water Well Contractor's Certification:		
ANDS	This well was drilled under my jurisdi	ction and this rep	ort Is
Was a drive shoe used? 2 Yes O No Plugs Size: location	true to the best of my knowledge and bel	lef.	
Did any strata contain thusable water? [] Yes [KNo	Name (Person, firm or corporation)	(Type or print)	
Type of water? depth of strate	Address		*****
Method of sealing strata off			
Was well gravel packed? Tyes No Size of gravel:	[Signed](Water Well Control		•
Gravel placed from	Contractor's License No Date		:
Opening product and commenced to the approximation of	*		T