## **MALH 54569**

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL I.D. LABEL# L	118135	
START CARD#	<del>211445</del> <b>211446</b>	
ORIGINAL LOG #		

(1) LAND OWNER Owner Well I.D. 1			
First Name Last Name	(9) LOCATION OF WELL (legal description)		
Company Huntington Travel Plazza	County MALHEUR Twp 15 S N/S Range 45 E E/W WM		
Address 486 NW 9th St	Sec <u>4</u> NW 1/4 of the <u>SE</u> 1/4 Tax Lot <u>306</u>		
City Ontario State Or Zip 97914	Tou Man Number		
(2) TYPE OF WORK X New Well Deepening Conversion	Tax Map Number Lot  Lat 44 ° 17 ' 36.06 " or 44.29333333 DMS or DD		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat 44 17 36.0 of 44.2553555 Division DD  Long -117 ° 13 ' 35.8 of " or -117.22661111 DMS or DD		
(2a) PRE-ALTERATION	Street address of well Nearest address		
Dia + From To Gauge Stl Plstc Wid Thrd	Street address of Well (Nearest address		
	5945 Hwy 30 Huntington Or 97907		
Material From To Amt sacks/lbs Seal:			
(3) DRILL METHOD	(10) STATIC WATER LEVEL		
X Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)		
Reverse Rotary X Other	Existing Well / Pre-Alteration		
	Completed Well		
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?		
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found		
Thermal Injection X Other Test	SWL Date From To Est Flow SWL(psi) + SWL(ft)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)			
Depth of Completed Well 217 ft.			
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs			
Dia         From         To         Material         From         To         Amt         lbs           10         0         38         Bentonite         0         38         1,200			
Calculated 850			
6 38 217			
Calculated	(11) WELL LOG Ground Elevation		
How was seal placed: Method A B XC D E	Material From To		
X Other Bentonite	Top Soil 0 6		
Backfill placed from ft. to ft. Material	Brwon Silt 6 25		
Filter pack from ft. to ft. Material Size	Sand and Gravel 25 30		
Explosives used: Yes Type Amount	Blue Clay 30 217		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE			
Proposed Amount Pounds Actual Amount Pounds			
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	RECEIVED		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	RECEIVED		
6 1 39 .250 X			
	MAR 26 2018		
	OWDD		
	OWRD		
Shoe Inside Other Location of shoe(s) 39			
Temp casing X Yes Dia 10 From 2 To 30			
(7) PERFORATIONS/SCREENS			
Perforations Method	. 10.05.0017		
Screens Type Material Perf/S Casing/Screen Scm/slot Slot # of Tele/	Date Started 10-24-2017 Completed 10-25-2017		
Perf/S Casing/Screen Scm/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification		
Trom To man 15-50	I certify that the work I performed on the construction, deepening, alteration, or		
	abandonment of this well is in compliance with Oregon water supply well		
	construction standards. Materials used and information reported above are true to		
	the best of my knowledge and belief.		
	License Number Date		
(8) WELL TESTS: Minimum testing time is 1 hour	Signed		
Pump Bailer (a) Air Flowing Artesian	Signed		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification		
0 217 8	I accept responsibility for the construction, deepening, alteration, or abandonment		
	work performed on this well during the construction dates reported above. All work		
	performed during this time is in compliance with Oregon water supply well		
Temperature °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.		
Water quality concerns? Yes (describe below) TDS amount	License Number 682 Date 11-02-2017		
From To Description Amount Units	Sin 1 1 MM		
	Signed J		
	Contact Info (optional)		