

WATER WELL REPORT
STATE OF OREGON

*Malh
587 malh
587*

RECEIVED
MAR 08 1982
State Well No. 175/47E-28 cd
State Permit No.
WATER RESOURCES DEPT
OREGON

(1) OWNER:

Name Roy Potter
Address River Bend Trailer Park
City Ontario State Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven Domestic Industrial Municipal
Rotary Mud Dug Irrigation Test Well Other
 Bored Thermal: Withdrawal Reinjection

(4) PROPOSED USE (check):

(5) CASING INSTALLED: Steel Plastic
Threaded Welded

6" Diam. from 7 1/2 ft. to 25 ft. Gauge 250
" Diam. from ft. to ft. Gauge

LINER INSTALLED: no

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
ft. gal./min. with ft. drawdown after hrs.
Air test gal./min. with drill stem at ft. hrs.
Bailer test 15 gal./min. with 120 ft. drawdown after 2 hrs.
Artesian flow g.p.m.
Temperature of water 55° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No
Well seal—Material used cement grout
Well sealed from land surface to 24 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 15 sacks
How was cement grout placed? pumped from 24' upwards. temporary 10' casing
Was pump installed? no Type HP Depth ft.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel: ft.
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Malheur Driller's well number 016
SE 1/4 SW 1/4 Section 28 T. 175 R. 47 E W.M.
Tax Lot # Lot Blk Subdivision

Address at well location: River Bend Trailer Park
Ontario Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found 8 ft.
Static level 5 ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 152 ft. Depth of completed well 152 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Topsoil	0	2	0
Clay Brown gravel & Sand	2	10	0
Blue Clay	10	18	5
fractured shale	18	146	5
Blue clay	146	150	5
	150	152	5

Work started 3-1 1982 Completed 3-4 - 1982
Date well drilling machine moved off of well 3-4 - 1982

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Frank Shelley Date 3-4, 1982
(Drilling Machine Operator)
Drilling Machine Operator's License No. 1358

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Frank Shelley (Type or print)
Address RT 1 Box 93, Ryeette, Ida
[Signed] Frank Shelley
(Water Well Contractor)
Contractor's License No. 789 Date 3-4 - 1982