WATER WELL REPORTS EGENVED STATE OF OREGON

JUN 1 - 1987 PLEASE TYPE or PRINT IN INK

State Permit No. 1894E-2 State Permit No.

Township Shull be S.

	7	State Well No.		84	41	<u>ر</u> ے۔	26	16	,
<u> </u>			•	١				*	_
		State Permit No	o	· · · · · · · · · · · · ·		_ ***********			-

(1) OWNER: WATER RESOURCES DEPT.	(10) LOCATION OF WELL:					
Name B.N.GLANVILLE SALEM, OREGON	County Malheur Driller's well number 1					
Address P.O.BOXXX 123	NW 4 SE 4 Section 26 T. 18 N	R. 41E	W.M.			
City WESTEALL StateOREGON	Tax Lot # I ot Blk	Subdivision	<u>n</u>			
(2) TYPE OF WORK (check):	Address at well location:					
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐						
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w					
	Depth at which water was first found	220	ft.			
	200000000000000000000000000000000000000	and surface. Date	4/30_			
Rotary Air X Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other D	Artesian pressure lbs. pe	er square inch. Dat				
Bored	(12) WELL LOG: Diameter of well below	casing16"	&12½			
CASING INSTALLED: Steel X Plastic Q	Depth drilled ft. Depth of	completed well	ft.			
$lackbox{f CASING INSTALLED:}$ Steel $lackbox{X}$ Plastic $lackbox{f Threaded}$ $lackbox{f Welded}$	Formation: Describe color, texture, grain size and struthickness and nature of each stratum and aquifer pene	acture of material	is; and show			
16" Diam. from ±18." ft. to120 ft. Gauge250	for each change of formation. Report each change in	position of Static	Water Level			
14" Diam. from110 ft. to250 ft. Gauge219	and indicate principal water-bearing strata.					
LINER INSTALLED: none	MATERIAL	From To	SWL			
"Diam. from ft. to ft. Gauge	a sand & gravel	0 21				
	sand & gravel	21 31				
(6) PERFORATIONS: Perforated? ▼ Yes □ No	brown clay	31 100)			
Type of perforator used Factory Size of perforations 3 in. by 1/8 in.	volcanic ash	100 184	<u> </u>			
Size of perforations 3 in. by L/8 in.	volcanic ash	184 220) x180			
2926perforations from 130ft. to _240ft.	basalt	220 230	180			
perforations fromft. toft.	light gray volcanic ash	230 240	1.80			
perforations from	light blue volcanic ash	240 250				
(7) SCREENS: Well screen installed? Yes No	light blue volcanic ash	250 255				
Manufacturer's Name	light brown volcanic ash	255 270				
Type Model No	black basalt	270 280				
Diam. Slot Size Set from ft. to ft.	light blue volcanic ash	280 340				
Diam. Slot Size Set from ft. to ft.	volcanic ash	340 420				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	fractured basalt	420 -590				
23201 20200 20200		 	180			
Was a pump test made? 「▼Yes □ No If yes, by whom? OWNER						
i: 1320 gal./min. with 5 ft. drawdown after 3 hrs.		 				
		 	 			
Air test gal/min. with drill stem at ft. hrs.						
Bailer test gal/min. with ft. drawdown after hrs.		 	 			
Artesian flow g.p.m.						
perature of water Depth artesian flow encountared ft.	Work started 4/27 19 87 Complete	ted 5/27 5/27	1987 1987			
(9) CONSTRUCTION: Special standards: Yes \(\text{No.} \) No.	Date well drilling machine moved off of well					
Well seal—Material used bentonite	(unbonded) Water Well Constructor Certif					
Well sealed from land surface to	This well was constructed under my direct and information reported above are true to my	supervision. Ma best knowledge	and belief.			
Diameter of well bore to bottom of sealin.	[Signed]	_				
Districter of well bore below seat						
Number of sacks of cement used in well seal 34 sacks	Bonded Water Well Constructor Certifica Bond 1900512644 Issued by ALLIFD	tion: TNS CROTTP	/NEAT. COL			
How was cement grout placed? dry & poured	Bold 7900512644 Issued by ALLIED Strong Stro	urety Company Name	<u> </u>			
	This well was drilled under my jurisdiction	on and this repo	ort is true to			
Was pump installed?	the best of my knowledge and belief. NameBILL DOTY DRILLING CO., INC.					
Was a drive shoe used?	(Person, firm or corporation) (Type or print)					
Did any strata contain unusable water? Yes No	Address ROUTE #7 Box 311 Caldwell, Idaho 83605					
Type of Water? depth of strata	[Signed] Sobota Pag for t	William &	THE			
Method of sealing strata off	Water Well Constr		07			
Was well gravel packed? ☐ Yes 🔀 No Size of gravel:	Date	5/28	, 19ŏ./			
Gravel placed fromft. toft.						