NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

BWATER WELL REPORTS EIVED

STATE OF OREGON JUL 2 9 1975 State Well No. 85

(Please type or print)
WATER RESOURCES Estate Permit No. G-7322
(Do not write above this line)
SALEM, OREGON

85 pw -13

(1) OWNER:	(10) LOCATION OF WELL:	
Name Frank Lumber Co. #1	Marion Or WELL:  County Driller's well no	ımber 92775M
Address Box 1467	SE ¼ NW ¼ Section 13 T. 8S	R. 2W W.M.
Mill City, Oregon 97360	Bearing and distance from section or subdivisi	on corner
(2) TYPE OF WORK (check):		
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATED LEVEL Completed	11
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.  Depth at which water was first found 101 ft.	
Rotary XX Driven Domestic XX Industrial Municipal	4 <i>E</i>	surface. Date 7-11-75
Cable		
Total Control	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED: Threaded □ Welded №  12 "Diam. from 0 ft. to 381 ft. Gage • 250  "Diam. from ft. to ft. Gage	(12) WELL LOG: Depth drilled 605 Depth drilled 605 Depth of completed well 605  Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in	
PERFORATIONS: Perforated? XX Yes \( \square\) No.	position of Static Water Level and indicate prin	cipal water-bearing strata.
Type of perforator used	MATERIAL	From To SWL
Size of perforations 3/8 in. by 14 in.	Brown clay	0 10
480 perforations from 105 ft. to 381 ft.	Blue pumice	10 22
perforations from ft. to ft.	Green clay	22 42
perforations from ft. to ft.	Brown sandstone	42 45
	Blue gummy clay	45 53
(7) SCREENS: Well screen installed?   Yes  No	Blue claystone	53 59
Manufacturer's Name	Blue sandstone	59 84
Type Model No	XXXXXX blue sandstone	84 176 65
Diam Slot size Set from ft. to ft.	Light	
Diam. Slot size Set from ft. to ft.	Gray sandstone	176 177
(8) WELL TESTS: Drawdown is amount water level is	Blue sandstone	177 380
*Pump test will be made at a later date.	Blue Green sandstone	380 444
Was a pump test made?  Yes No If yes, by whom?	Light blue sandstone	444 449
Yield: gal./min. with ft. drawdown after hrs.	Green sandstone	449 472
" " "	Blue claystone	472 568
ATR. " " "	Blue claystone and quartz	568 605
3000		
gai./min. with 200 it. drawdown after 2 mrs.		
Artesian flow g.p.m.		
perature of water 51 Depth artesian flow encountered ft.	Work started 6-27 1975 Complete	ed 7-11 19 75
(9) CONSTRUCTION:	Date well drilling machine moved off of well	7–11 19 75
Well seal—Material used Cement	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my	direct supervision.
Diameter of well bore to bottom of seal in.	Materials used and information reported above are true to my best knowledge and belief.	
Diameter of well bore below seal 16 in.	[Signed] Warring & Markey Date 7-11 10 75	
Number of sacks of cement used in well seal 2 yards sacks	710	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.	
Brand name of bentonite	Tilled and the state of the sta	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is	
Was a drive shoe used?   Yes No Plugs Size: location ft.	true to the best of my knowledge and belief.  Name Water Boys Well Drilling	
Did any strata contain unusable water? 🗌 Yes 🗷 No	(Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address 1416 E. 32nd./Albany, Oregon 97321	
Method of sealing strata off	W1 . 0 711	
Was well gravel packed? Tyes- 2 5 Size of gravel: 3/4"	[Signed] Janua (Water West Contact	ktor)
Gravel placed from _40 ft. to380 ft.	577	7-25 .75
draver placed from	Contractor's License No. 212 Date	<u>/, 19./9</u>