

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER WELL REPORT

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 85/2W-25 ba

State Permit No. G-8860

(1) OWNER:

Name Windell Brewton
Address 8674 Olney Rd
Salem OR

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

" Diam. from ft. to ft. Gage
" Diam. from 0 ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.

Type of perforator used

Size of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from 0 ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
Pump test 300 gal./min. with total drawdown after 1 hrs.
Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal 8" & 6" in.
Number of sacks of cement used in well seal sacks
How was cement grout placed?

Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number 2-79
NE 1/4 NW 1/4 Section 25 T. 85 R. 2W W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 230' ft.
Static level 6' ft. below land surface. Date 6-15-75
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8 1/2 to 15 1/2 to 24 1/2

Depth drilled 298 ft. Depth of completed well 298 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Green stone	116	118	
Sand stone Gray	118	128	
Clay stone med Gray	128	140	
Green stone & clay med	140	153	
Basalt Hard Black	153	160	
Shale Gray med H	160	208	
Basalt med Blk	208	230	
Loose Basaltic Sand stone	230	241	water
Shale Gray med	241	272	
Basalt Blk / Fractured	272	298	water

RECEIVED

JUL 19 1975

WATER RESOURCES DEPT
SALEM, OREGON

Work started 6-12 1975 Completed 6-15 1975
Date well drilling machine moved off of well 6-15 1975

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] L. County Date 7-16, 1975
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1316

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Cascade Water Wells
(Person, firm or corporation) (Type or print)

Address PO Box 2127 Eugene OR

[Signed] L. County
(Water Well Contractor)

Contractor's License No. 674 Date 7-16, 1975