

NOTICE TO WATER WELL CONTRACTOR: The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from date of well completion.

JAN 10 1979

STATE OF OREGON (Please type or print)

State Well No. 85/2w-2566 State Permit No. G-8860

WATER RESOURCES DEPT. SALEM, OREGON (Do not write above this line)

(1) OWNER:

Name Wendell Brewton Address 8674 OLNEY Rd, Salem, S.E.

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

CASING INSTALLED:

Threaded [] Welded [X]

8" Diam. from 11 ft. to 107 ft. Gage 1250

PERFORATIONS:

Perforated? [X] Yes [] No.

Type of perforator used TORCH Size of perforations 3/16 in. by 8 in. 170 perforations from 20 ft. to 105 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name Type Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [X] No Yield: gal./min. with ft. drawdown after hrs. Bailer test 60+ gal./min. with 2 ft. drawdown after 1 hrs.

(9) CONSTRUCTION:

Well seal—Material used CEMENT GROUT Well sealed—Material used 18 ft. Diameter of well bore to bottom of seal 12 in. Diameter of well bore below seal 8 in. Number of sacks of cement used in well seal 8 sacks How was cement grout placed? GRAVITY FLOW

Was a drive shoe used? [X] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County MARION Driller's well number 39-78 NW 1/4 NW 1/4 Section 25 T. 8S R. 2W W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 19 ft. Static level 3 ft. below land surface. Date 12-20-78 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8 Depth drilled 116 ft. Depth of completed well 116 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include: Topsoil, GRAVEL COARSE Cobbles, GRAVEL SAND SILT, SAND COARSE GRAVEL FINE, CLAY, GRAY TO PINK, SAND COARSE, GRAVEL Med SAND, Rock, GREENISH.

Work started 11-26 1978 Completed 12-20 1978 Date well drilling machine moved off of well 12-20-1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Gene Z. Richardson Date 1-15, 1979 (Drilling Machine Operator)

Drilling Machine Operator's License No. 738

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Richardson Well Drilling (Person, firm or corporation) (Type or print)

Address 39841 Stayton-Scio Rd Scio

[Signed] Gene Z. Richardson (Water Well Contractor)

Contractor's License No. 650 Date 1-15-1979