filed with the APR 22 1968 STATE OF STATE ENGINEER, SALEM, OREGON 97310 ENGINE TO hot write a within 30 days from the date. The ENGINE To hot write a	pe or print	4/26-8
of well completion. SALEM OREGON  (1) OWNER;	(11) LOCATION OF WELL:	
Name Milo Schnedas	County Marion. Driller's well number	
Address Star Coute Box 97 HHayl Ox	14 14 Section 18 T. 4-S R. 2W W.M.	
	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):  New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 12.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):		
Rotary Driven	(12) WELL LOG: Diameter of well below casing	
Cable	Depth drilled 234 ft. Depth of completed well 220 ft.	
	Formation: Describe color, texture, grain size	
CASING INSTALLED: Threaded Welded Welded In to Diam. from ft. to 255 ft. Gage 255	and show thickness and nature of each stratu with at least one entry for each change of form in position of Static Water Level as drilling pro	ation. Report each change oceeds. Note drilling rates.
" Diam, fromft, toft. Gage	MATERIAL	From To SWL
	Broke D	2 7
PERFORATIONS: Perforated? Yes   No.	13 your Char	7 32
Type of perforator used	Black To Ou Changen	- 67 1.4
Size of perforations 38 in. by 6 in.	Bon Jan Jan	7.4 7.3
	The state of the s	73 79
perforations from ft. to ft.	Blue Class	79 100
perforations from ft. to ft.	Small land laser	100 110
perforations fromft. toft.	Blue Clay 1	110 122
perforations from ft. to ft.	- Li Sanda	122 /28
(7) SCREENS: Well screen installed?   Yes No	light Brown Clay	128 138
Manufacturer's Name	11 u County	138 152
Type Model No	Clay sand grove	152 156
Diam Slot size Set from ft. to ft.	grey chy	156 158
Diam. Slot size from ft. to ft.	1.04	199 197
(8) WATER LEVEL: Completed well.	Brown Class	187 199
Section level ft. below land surface Date	all a lilt	192 198
Artesian pressure lbs. per square inch Date	Sand Stone (dry)	198 200
	1. H. Clay fayete	200 203
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Block fand	203 204
Was a pump test made?   Yes No If yes, by whom?	Blue & Brown	204 234
: 515 gal./min. with ft. drawdown after hrs.	Work started 2-/ 1968 Complet	ed 4-4-649
with dir lift. "	Date well drilling machine moved off of well	1-4-68 19
" " " "	Drilling Machine Operator's Certification:	
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my di	
Artesian flow g.p.m. Date	rials used and information reported above knowledge and belief.	e are true to my pest
Temperature of water 5 6 Was a chemical analysis made?  Yes No	[Signed] Boller & mullin	Date 4/12, 1968
	Drilling Machine Operator)	Date
(10) CONSTRUCTION: Weil seal—Material used	Drilling Machine Operator's License No	
Depth of seal ft.	Water Well Contractor's Certification:	
Diameter of well bore to bottom of seal 3 in	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Were any loose strata cemented off? Wes I No Depth Depth	NAME Mile Jehnelle Pauch	
Was a drive shoe used? ☐ Yes ☐ No	(Person, firm or corporation) (Type or print)	
Did any strata contain unusable water?	Address to Loute Box 97 Haul Or	
Type of water? depth of strata	Ana P / / 10	
Method of sealing strata off Conetile Would	[Signed] Miles Enach	
Was well gravel packed? Yes No Size of gravel:	(Water Well Contrac	tor)
Gravel placed from ft. to 234 ft.	Contractor's License No. 1 Date 7	-12-60, 19
(IISE ADDITIONAL SU	EETS IF NECESSARV)	