NOTICE TO WATER WELL CONTRACTOR The original and first copy NO WATER WELL REPOR of this report are to be FEB 5 1976 State Well No. STATE ENGINEER, SALEM, OREGON 973RECE filed with the STATE OF OREGON PASSE type or print) STATE ENGINEER within 30 days from the date 1975 State Permit No. .. of well completion. STATE ENGINEER (1) OWNER: (10) LOCATION OF WELL: Florin Zielinski SALEM. OREGON Driller's well number St. Paul Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning | Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found RevRotary Driven 🛘 Domestic R Industrial Municipal Static level ft. below land surface. Cable Jetted | Dug Bored [Irrigation 🗹 Test Well 🗌 Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: CASING INSTALLED:

Threaded [] Welded []

2 "Diam. from + 2 6" ft. to 213 6" ft. Gage .250 (12) WELL LOG: Diameter of well below casing . "Diam from 72'2"ft to 210'10t" Gage .250 Depth drilled ft. Depth of completed well 213'6" ft. "Diam. from +1'10ft. to 64'10t. Gage .250 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, * gravel feed with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Y Yes No. Type of perforator used Cutting torch From Size of perforations 3/8 See sheet attached 708 perforations from 134'6" perforations from 168'10" perforations from (7) SCREENS: Well screen installed? ☐ Yes 🛣 No Manufacturer's Name Diam. Slot size Set from ft. to Diam. Slot size ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? W Yes \(\simega \) No If yes, by whom? gal./min. with// Bailer test gal./min. with ft. drawdown after hrs. rtesian flow g.p.m. erature of water Depth artesian flow encountered Work started 1974 Completed 19 75 Date well drilling machine moved off of well (9) CONSTRUCTION: pressure grouted cement & zonolite Well seal-Material used Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to Diameter of well bore to bottom of seal best knowledge and belief. Diameter of well bore below seal ... Number of sacks of cement used in well seal ... Drilling Machine Operator's License No.581 Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? 🗌 Yes 🎽 No Plugs Size: location ft. Name Milo Schneider Equipment Co.
(Person firm or corporation) (Type or print) Did any strata contain unusable water? Yes No

bottom

Address Star Rt.

Contractor's License No. 387 Date ...

[Signed] 1

Type of water?

Method of sealing strata off

Was well gravel packed? Yes No

FEB **5** 1975

STATE ENGINEER SALEM, OREGON

7412

Florin Zielinski

Material	From	To.	
Top soil	0	2, ,	
Brown clay	2	18	
Brown silty clay	18	30	•
Gray clay	30	35	
Gray silty clay	_ 35	41	_
Gray soft clay	41	60	
Gray clay	60	65	
Black sand	65	76	
Gray clay	76	85	·
Blue sand clay (dry)	85	94	
Brown soft clay	94	100	
Gray clay	100	109	
Gravel (1½")	109	113	
Brown shot clay	113	111	
Blue sandy clay	114	.116	
Gravel & blue sandy clay layers	116	119	
Gray clay	119	140.	
Cemented gray sand	140	丁竹竹	•
Pea gravel	144	166	
Wood (157–159)			
Gravel (2½)	166	190	
Gray clay	190	213	



