STATE ENGINEER Salem, Oregon MARI 1242	ell Record	STATE WELL NO COUNTYMAX APPLICATION N	ion
T T Ke was	MAILING ADDRESS:	, y a 44 p 2 a a a 4 a 4 a 4 a 4 a 4 a 4 a 4 a 4 a	
LOCATION OF WELL: Owner's No.	CITY AND STATE:		lg lot 4
N. N. S., R S., R	E W., W.M.		
Bearing and distance from section or subdivision	n  _		
corner	į.		
	1		
Altitude at well160			
TYPE OF WELL: Drilled Date Constructe			
Depth drilled134 Depth cased	*****	Section	
18 inch		w.	
FINISH: Screened 115 to 120			
AQUIFERS: Coarse sand and fine gravel from 129 to 134	vel from 112 to 128		
WATER LEVEL: 30 feet below land surface	ce, October, 1951		
PUMPING EQUIPMENT: Type	Turbine		H.P30
WELL TESTS: Drawdown ft. after ft.			
Drawdown ft. after	hours	01E01F001FFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	G.P.M.
SOURCE OF INFORMATION USGS	ores Tempº1		
ADDITIONAL DATA:  Log X Water Level Measurements			

REMARKS:

## mn 1242

## STATE ENGINEER Salem, Oregon

State Well No	4/2W-20M1
County Max	cion
Application No	

## Well Log

Pg 2 of 4

wner: L. J. Kirk Owner's No		
Date Drille	d	
(Feet below 1		Thicknes (feet)
	_	5
51		44
97	98	
98	104	
104	112	
	·	
112	128	1
128	129	
129	134	
		<del> </del>
		<u> </u>
		_
	Date Drille  (Feet below to From 0 51 97 98 104 112 128	Date Drilled

STATE ENGINEER We	l Record	STATE WELL NO	o. 11/2W-20M
Salem, Oregon MARI.		COUNTYMa APPLICATION N	arion HA GR-3372
OWNER: Lester J. Kirk	MAILING ADDRESS:	St. Route, Box 35	0 0 0
LOCATION OF WELL: Owner's No	CITY AND STATE:	St. Paul, Oregon	
NW 14 SW 14 Sec. 20 T. 4 S., R. 2	<b>K</b> . W., W.M.		
Bearing and distance from section or subdivision			
corner1300! W. and 2600! N.			
Altitude at well			
TYPE OF WELL: drilled Date Constructed		Continu	
Depth drilled134! Depth cased	.1341	Section	
18"			
FINISH: screen perforated from 115	to 120	_	
AQUIFERS:			
sand, clay gravel,			
WATER LEVEL:			
301			
PUMPING EQUIPMENT: TypeTurbine S00 G.P.M.	***************************************		H.P30
WELL TESTS:  Drawdown 76 ft. after			
Drawdown ft. after	hours		
USE OF WATER Irrigation SOURCE OF INFORMATIONGR-3118 DRILLER or DIGGER J. T. Miller			
ADDITIONAL DATA:  LogX Water Level Measurements	Chemical Aı	nalysis Aquife	er Test

REMARKS:

STATE ENGINEER Salem, Oregon mari 1242

State Well No.	T\5/1-50M
	rion
Application No.	GR-3372

## Well Log

Pg 4 of 4

Owner: Lester J. Kirk	The second secon	Owner's No  Date Drilled 1951		
Oriller: J. T. Miller	Date Dr			
CHARACTER OF MATERIAL		ow land surface)	Thickness (feet)	
2014 0 704 1 7 0 47 00				
134' of 18" hole @ \$18.00\$2,412.00				
Less 306.00			-	
Total\$2,106,00				
Formation,				
Broken	0	51		
Sand	51	97		
Tough clay	97	98		
Soft sandy clay	98	30)		
Fine sand	10/1	112		
Corse sand small gravel wood and streaks of		- ^		
clay	112	1.28		
Wood	128	129		
Gravel, well tested 1/10 gal. per. min. at				
76' draw down, test pump set at 115'.	129	134		
	•			
And the second s				
	_			
		• .		
		<u> </u>		