NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.



te	Well	No.		J		V.Y	 نسيجيه
			70		1		
			A.		•		
			5				

State Permit No.

WATER RESOURCE	S DEPT
(1) OWNER: SALEM. OREG	ONIO LOCATION OF WELL:
Name Larry hill	County Marcon Driller's well number
Address Scabulan Rill Rd. 8864	14 14 Section 35 T. 85 R. 3W W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	(11) THE PROPERTY OF THE ITEMS
	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary Driven Domestic Industrial Municipal Dug Bored Driven Irrigation Test Well Other	Static level 108 ft. below land surface. Date 118 Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded Welded Gage SCO Threaded Welded Gage	(12) WELL LOG: Diameter of well below casing
PERFORATIONS: Perforated? Yes \(\subseteq \text{No.} \)	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	top Soil Red. 0 10
perforations from ft. to ft.	Red cloy 10 20
perforations from ft. to ft.	decomposed Rock 80 60
perforations from ft. to ft.	Boualt Rock with 60 100
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	Burnet Rock 100 120
Manufacturer's Name	Sione cont Rock 120 140
Type Model No	basell Lock 140 180
Diam Slot size Set from ft. to ft.	Trusult Rock with 180 298
Diam Slot size Set from ft. to ft.	Romen come-Rock.
(8) WELL TESTS: Drawdown is amount water level is	
lowered below static level	
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	
Yold: gal./min. with ft. drawdown after hrs.	
n n · · · · n	
ne " "	
Batter test 3 5 gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started Muy 25 19 78 Completed Muy 3/ 1978
(9) CONSTRUCTION:	Date well drilling machine moved off of well Mey 3/ 1978
Well seal-Material used Coment	Drilling Machine Operator's Certification:
Well sealed from land surface to 22 ft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal	best knowledge and belief.
Diameter of well bore below seal	[Signed] / MMUN JEFFEY Date June 1978.
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.
How was cement grout placed?	Drining Machine Operator's Dicense 110.
And the state of t	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Tyes WNo Plugs Size: location ft.	Name TOLANGLE ORILLING
Did any strata contain unusable water? Yes No	4510 DALLAS HD. N.V.
Type of water? depth of strata	Address SALEM, OR 97304
Method of sealing strata off	[Signed] Lant & Band
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 6/7 Date 5 - 2/ , 19/2