

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

## STATE ENGINEEWATER WELL REPORT SALEM, OREGON STATE OF OREGON

State Well No. 34R
State Permit No.

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Name Dan Nevil	Was a pump test made? X□ Yes □ No If yes, by whom? J. T. Miller
Address RT.1, Box 309, Woodburn, Oregon	Yield: 450 gal./min. with 40 ft. drawdown after hrs.
(2) LOCATION OF WELL:	_pumped off casing 325 gpm- "
County Marion Owner's number, if any—	Bailer test gal./min. with ft. drawdown after hrs.  Artesian flow 100 g.p.m. Date
	W.M.
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made? ☐ Yes ☐ No
	(12) WELL LOG: Diameter of wellinches.
	Depth drilled 105 ft. Depth of completed well 105 ft.
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
	stratum penetrated, with at least one entry for each change of formation.
	MATERIAL FROM TO
(3) TYPE OF WORK (check):	surface 0 3
New Well∑ Deepening	
If abandonment, describe material and procedure in Item 11.	blue sandy clay 12 19
PROPOSED USE (check): (5) TYPE OF WEL	surface sand, water 19 23
	<u>grey Cray</u>   <del>2</del> 2   24
Cable X Jetted	Diack Sailt , water 24 70
Irrigation 🖳 Test Well 🗌 Other 🔲 Dug 🗎 Bored	blue clay 98 99
(6) CASING INSTALLED: Threaded Welded	corse sand and small gravel 99 105
14 "Diam. from 0 ft. to 25 ft. Gage	
10 "Diam. from 0 ft. 6105 ft. Gage	
"Diam. from ft. Gage ft. to ft. Gage ft.	l i
(7) PERFORATIONS: Perforated? ★ Yes □ No.	1
Type of perforator used zig zag mill knige	
SIZE of perforations in. by in.	
Zig Zag perforations from 50 ft. to 54	
5-Z-Z perforations from 70 ft. to 76	
2-z-z perforations from 99 ft. to 103	
perforations fromft. to	
perforations fromft. to	14.
(8) SCREENS: Well screen installed	
Manufacturer's Name	
TypeModel No	
Diem, Slot size Set from ft. to	ft.
Slot size Set from ft, to	ft.   Work started 5-2nd 1961 Completed 6-12th 1961
(9) CONSTRUCTION:	(13) PUMP:
Was well gravel packed? A□ Yes □ No size of gravel:De.a	
Gravel placed from top ft to bottom ft. 12 yo	Type: Clastrofical H.P. 15
Was a surface seal provided? No Yes No To what depth? 2.5	ft.
Material used in seal— CEMENTEC	Well Driller's Statement:
Did any strata contain unusable water? ☐ Yes ☐ No	This well was drilled under my jurisdiction and this report is
Type of water? Depth of strata	true to the best of my knowledge and belief.
Method of sealing strata off	NAME J.T.Miller
(10) WATER LEVELS:	(Person, firm, or corporation) (Type or print) AUTORA Ore
t tatan land surface Date	Address Box 175, Autora Ore
The sugar to Date	Driller's well number
Artesian pressure 5 108, per quate inch Date	Dimer's weit number
Log Accepted by:	[Signed] Mille
[Signed] Dan New Jate /d? 19	7 (Well Driller) 6-12- 61
(Owner)	License No. Date 1901
(USE ADDITIO	NAL SHEETS IF NECESSARY)