File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

OCT 25 1961 WATER WE	MARI 1399 LL REPORT State Well No.	4/2W-33
Cite Original and Circt Copy with the STATE ENGINEER STATE OF SALEM, OREGON	OREGON 6.4017 State Permit No.	
(1) OWNER: Name Edward Williamson Address Woodburn, Oregon	(11) WELL TESTS: Drawdown is amount we lowered below static lew Was a pump test made? Yeld: 525 gal./min. with 7.8 ft. drawdown is amount with 1.8 ft. draw	vel n? driller
	<u>, 450 , 51 , </u>	8 "
(2) LOCATION OF WELL: County Marion - Owner's number, it any	Bailer test gal./min. with ft. drawdow. Artesian flow g.p.m. Date	n after hrs.
14 14 Section 35 T. 2W R. 4S W.M.	Temperature of water 52 Was a chemical analysis ma	ade? 🗌 Yes 🔟 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well Depth drilled 148 ft. Depth of completed w	12 inches.
	Formation: Describe by color, character, size of materic show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	
	MATERIAL	FROM TO
(3) TYPE OF WORK (check):	Surface	0 3
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	Brown sandy clay	3 59
andonment, describe material and procedure in Item 11.	Gray clay	59 66
PROPOSED USE (check): (5) TYPE OF WELL:	Gray sandy clay	80 81
Domestic Industrial Municipal Rotary Driven	Broken sand and gravel Sand(Sand)	81 85'6
Cable	Broken sand	85'6" 107
(A) CH CINC INCOME I I III	Blue clay	107 127
(6) CASING INSTALLED: Threaded Welded 12 110 ft. Gage	Sand (black)	127 139
12 "Diam. from 0 ft. to 110 ft. Gage 8 "Diam. from 6 ft. to 148 ft. Gage	Sandy (some clay)	139 145 145 148
" Diam. from ft. to ft. Gage	Blue clay	17) 170
(7) PERFORATIONS: Perforated? 图 Yes 口 No Type of perforator used Millknife		
SIZE of perforations 3/8 in. by 2 in.		
perforations from		
72 Demotations from 121		
perforations from 107 ft. to 114 ft.		
perforations fromft. toft.		
(8) SCREENS: Well screen installed □ Yes ₺ No		
Manufacturer's NameModel No.		
Type Model No ft. to ft.		
Diam. Slot size Set from ft. to ft.	Work started September 19 61 Completed OC	tober 5 19 61
(9) CONSTRUCTION:	(13) PUMP:	-
Was well gravel packed? Tyes No Size of gravel: 3/8 pea	Manufacturer's Name	
Gravel placed from 0 ft. to 148 ft.	Type: H.P.	
Was a surface seal provided? Yes No To what depth? ft.		
Material used in seal— Did any strata contain unusable water □ Yes ☒ No	Well Driller's Statement:	
Type of water? Depth of strata	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this report is
Method of sealing strata off	NAME John Truman Miller	•
(10) WATER LEVELS:	(Person, firm, or corporation) (T	ype or print)
Static level 29 ft. below land surface Date 10/5/61	Address P O Box 42 Hubbard.	Uregon
Artesian pressure lbs. per square inch Date	Driller's well numbër	www.ghanamananger.ung
Log Accepted by:	[Signed] whind	M
[Signed Ed Williamone October 5, 1961	[Signed] (Well Drifter) License No. 277 Date Octo	ber 5 1961
(Owner)	LICEUSE TO	~~~ / 19JOL