WATER WELL REPORT STATE OF OREGON

RECEIVED

MAY 2 0 1986

WATER RESOURCES DEPT

State Permit No. Leep.

SALEM, VALLE	TIME TO THE TANK THE		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Timofel Bargukoff			
Address H335 S Elliott RRarire 12	County Marion Driller's we		80 × p
City Wood burn State Ore	NW 4 3 W 4 Section 3 6 T. 4 9 Tax Lot # Lot Bills	R. 2 W	
(2) TYPE OF WORK (check):	Address at well location: /78/1	. Subdivisi	on .
· · · · ·		001/1	<u> </u>
New Well □ Deepening Reconditioning □ Abandon □	(11) WATER LEVEL: Completed well.		
If abandonment, describe material and procedure in Item 12.	= 1	vell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level 34 ft. below	<u></u>	E F
Rotary Air Driven Domestic Industrial Municipal		land surface. Date	
Rotary Mud		er square inch. Da	te
Z Zemjecton D	(12) WELL LOG: Diameter of well below		
(5) CASING INSTALLED: Steel Plastic Welded Welded	Depth drilled 335 ft. Depth o	f completed well	735
Threaded Welded Welded Diam. From . L	Formation: Describe color, texture, grain size and str thickness and nature of each stratum and aquifer pen	otrotod with a l-	1
"Diam. from J.D. ft. to J.J. ft. Gauge	for each change of formation. Report each change in and indicate principal water-bearing strata.	position of Static	Water Lev
LINER INSTALLED: / 98	material water-bearing strata.		
	MATERIAL	From To	SWL
	Origonal Well	0 91	
(6) PERFORATIONS: Perforated? Yes No	Darke gricker Clay	91 168	
Type of perforator used	Light Bige Clay Sandlayers	168 174	
Size of perforations in, by in.	Darksticky clay	114 180	
ft. toft.	Redish brown 911t	180 206	
perforations from ft. to ft.	Fine gand & Green Silt	206 226	
perforations from	Midjum 3 and	226 249	
(7) SCREENS: Well screen installed? Yes \(\subseteq \ No	Blueclay	249 269	
Manufacturer's Name	Areen Clay	269 216	
Type 5. STEE	Sand medium.	276 289	
Diam. 7.1.7.5 Slot Size 2.5. Set from 3.25 ft. to 3.3.5 ft.	5041	289 304	
Diam. 7.1.7.5 Slot Size 2.5 Set from 3.0.3 ft. to 3.13 ft.	Sand & Gravel	304 305	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Sand Small Gravel Comented	305 307	
	Clay Blue with Band layers	307 312	
Was a pump test made? Yes \(\text{No. If yes, by whom?} \)	1 Sand Stene		
360 gal/min. with 22 ft. drawdown after 3 hrs.	Sand Course Some Gravel	320 325 325 336	
Air test 6 80 gal/min with drill stem et 9 Cost 2	Clay Darke Stickey	375 -	
Bailer test		300	
Artesian flow g.p.m. ft, drawdown after hrs.	For all and the second		
rature of water Depth artesian flow encountered ft.	Committee of the Commit		
(0) CONCEDITORY	Work started H - 2 6 19 8 C Complete	d 5-16	_19 86
1	Date well drilling machine moved off of well	5-16	19 8
Well sealed from land surface to	Drilling Machine Operator's Certification:		
Diameter of well bore to bottom of seal	This well was constructed under my direct me	pervision Mate	riala uzod
Diameter of well bore below seal	reported above are true to my be	st knowledge an	d belief.
Number of sacks of cement used in well seal sacks	[Signed] follow W Jeck (Drilling Machine Operator)	Date 5 /17	., 19. 8.6 .
How was cement grout placed?	Drilling Machine Operator's License No	4 49	
The Origonal Well 2 10" was Orilled			
5/4/59 by 0 x VII WY More State Permit #01362	Water Well Contractor's Certification:		
Was pump installed?	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name Beek Welldrilling		
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)		
Type of Water? depth of strata	POTONO O 1) les		
Method of sealing strata off	[Signed] / LHI 37 9 9Ky lane (Water Well Contractor	r Canbr	Mara
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No. 4.7.7Date5)	
Gravel placed from ft. to ft.	Date		, 19 86
NOTICE TO WATER WELL CONTRACTOR	WATER PROVINCES		