STATE ENGINEER Salem, Oregon OWNER: Robert Nelson MAILING ADDRESS: LOCATION OF WELL: Owner's No. N. E.	CO	STATE WELL NO. 5/1W-3B COUNTY Marion APPLICATION NO. CR-3698			
OWNER: Robert Nelson MARILING ADDRESS:					
LOCATION OF WELL: Owner's No. CITY AND STATE:					
			X	1 7	7
Bearing and distance from section or subdivision corner					-
					_
Altitude at well				 	1
TYPE OF WELL: Drilled Date Constructed 8/12/54. Depth drilled 101 feet Depth cased 100 feet	Sect	tion	3		J
8 inch casing set to 100 feet					
8 inch casing set to 100 feet FINISH:					<u>. </u>
FINISH: AQUIFERS: WATER LEVEL: 23 feet below surface					
FINISH: AQUIFERS: WATER LEVEL: 23 feet below surface PUMPING EQUIPMENT: TypeFairbanks Morse_turbine Capacity G.P.M.					
FINISH: AQUIFERS: WATER LEVEL: 23 feet below surface PUMPING EQUIPMENT: TypeFairbanks Morse_turbine Capacity G.P.M. WELL TESTS:					
FINISH: AQUIFERS: WATER LEVEL: 23 feet below surface PUMPING EQUIPMENT: Type Fairbanks Morse turbine Capacity G.P.M. WELL TESTS: Drawdown 50 ft. after hours Drawdown ft. after hours	-200			***********	G.P.N
FINISH: AQUIFERS: WATER LEVEL: 23 feet below surface PUMPING EQUIPMENT: Type Fairbanks Morse turbine Capacity G.P.M. WELL TESTS: Drawdown 50 ft. after hours Drawdown ft. after hours	-200				G.P.M

STATE ENGINEER Salem, Oregon mari 1466

State Well No.	5/1W - 3B
CountyMan	1on
Application No.	GR-3698
Application No.	CR-3698

Well Log

Pg 2 of 3

	Owner: Robert Nelson	Owner's No.				
			Date Drilled August 12, 195			
್ಷ-೧೯೭೪ ವರ್ಷ-೧೯೩೪ ೧೬೮೨ ಕಲ್ಪಡಗಳು	CHARACTER OF MATERIAL	(Feet below From	land surface) To	Thickness (feet)		
and the second second	Surface	0	3	3		
per manifestation	Brown sandy clay	3	24'	. 21		
n na rain ann an ann an an an an an an an an an	Gray sand	24	40	16		
esamento en la	Brown clay	40	48	8		
	Gray clay	48	86	38		
	Blue clay	86	99	13		
on who start the control of	Coarse sand	99	101	2		
and the second						
Carlos Company			· · · · · · · · · · · · · · · · · · ·			
e na Rea - E - S E e						
e garage a commercial						
A						
i mi ek y k s						
The second second				-		
• • • • • •						
e e e e e e e e e e e e e e e e e e e						
.46						
			· · · · · · · · · · · · · · · · · · ·			
	· · · · · · · · · · · · · · · · · · ·					
en e						

		-F-17		· •
STATE ENGINEER Salem, Oregon Well	Record	STATE WELL COUNTY	Marion	**********
(M1466		APPLICATION	N NO	
OWNER: Robert-Welson	MAILING ADDRESS:		B 3	f 3
LOCATION OF WELL: Owner's No.	CITY AND STATE:	T P O II Chamberly and America States and App D O	440 u PO 2 2 20 2 2 2 7 4 4 4 4 4 4 4 4 4 4	
N. E V. Sec T V.	: 337 M	!	1	
Bearing and distance from section or subdivision	V -, VV -171.			
-	}-			
corner	RUMAS VIII LALLE			

Altitude at well171				
			i	
TYPE OF WELL:Drillad Date Constructedl	954		السبب	
Depth drilled 101 Depth cased 100	*****	Section	*********	
CASING RECORD:				
8 inch				
FINISH:				
Open bottom, casing unperforated				
AQUIFERS:				······································
Coarse sand from 99 to 101				
WATER LEVEL:		·		
23 feet below land surface on Augu	st 18, 1954			
PUMPING EQUIPMENT: Type		·	_ H.P	
Capacity				
WELL TESTS:				
Drawdown ft. after				
Drawdown ft. after	hours	- سوم دول شکار: د د محمدیات سال مستخدم از الموجود : • •		
T				
USE OF WATER	Temp °F.			, 19
DRILLER or DIGGER				······································
ADDITIONAL DATA:				
Log Water Level Measurements	Chemical Analys	sisAqu	ifer Test	
REMARKS:				