NOTICE TO WATER WELL SYTRACTOR

The original and first apply of this report are to be JUL 17 1907

WATER WELL REPORT

STATE ENCYMPER OF THE PROPERTY OF THE PR

STATE ENGINEER, SALES TREGOT 1/2/10 INCINEER STATE OF OREGON within 30 days from the date of well completions ALEM CIPECON

- OREGON	State Permit No		
(1) OWNER:	(11) WELL TESTS: Drawdown is amount	t water le	vel is
Name F. W. Knieling. Address	lowered below static level Was a pump test made? Yes 🖸 No If yes, by whom?		
	Yield: 200 gal./min. with 20 ft. drawdo		- hu
Marion, De.	" " " "	wir arter	hr.
(2) LOCATION OF WELL:	" "		
County Marion Driller's well number 254	Bailer test gal./min. with ft. drawd	down after	r hr
V V Control 30 - 05	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis	made?	Yes N
- Jason tollier	(12) WELL LOG: Diameter of well below c	asing	
	1 _		. 10
			f) f
	Formation: Describe by color, character, size of materi show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	the mater	ial in eac
			T
(3) TYPE OF WORK (check):	MATERIAL	FROM	то
Well ■ Deepening □ Reconditioning □ Abandon □	Soil	0	3
andonment, describe material and procedure in Item 12.	Soil-Met Court	⊥ 3_	2
(A) PROPOSED FIGH (I I I)	Clay & Med Gravel.	17	24
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Mid Gavel.	24	30
Domestic Industrial Municipal Rotary Driven Invigation F. Test Well D. Ohner Cable Jetted	Clay Small Grave!	30	33
Irrigation ☐ Test Well ☐ Other ☐ Cable ☐ Jetted ☐ ☐ Dug ☐ Bored ☐	Umall Gravel.	33	10
(C) CACING INCHALLER		+	
(6) CASING INSTALLED: Threaded Welded Welded Welded Threaded Threaded Welded Threaded Threaded Threaded Welded Threaded Threaded Welded Threaded Threaded Threaded Threaded Welded Threaded Threaded Threaded Threaded Welded Threaded Threa		 	
"Diam from		+	<u> </u>
		+	 -
		+	
(7) PERFORATIONS: Perforated? Yes □ No			
Type of perforator used Oxy & Acof		 	-
Size of perforations 36 in. by 8. in.		† 	
perforations from 28 ft. to 40 ft.			
perforations from ft. to ft.		1	
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.	***************************************		
(8) SCREENS: Well screen installed? ☐ Yes No			
anufacturer's Name			
Model No.		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	
D Slot size Set from ft. to ft.			
Diam Slot size Set from ft. to ft.	Work started 1969 Completed	ane 5	1967
(9) CONSTRUCTION:	Date well drilling machine moved off of well	Mar 9	19
	(13) PUMP:	•	
Well seal—Material used in seal	Manufacturer's Name		
Depth of seal ft. Was a packer used?	Туре:	7 P	***************************************
Diameter of well bore to bottom of seal in.	Water Well Courts and G. 1991		
Were any loose strata cemented off? ☐ Yes No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? ★ Yes □ No	This well was drilled under my jurisdiction a	and this	report is
Was well gravel packed? Yes No Size of gravel:	true to the best of my knowledge and belief.		•
Gravel placed from ft. to ft.	NAME Long Dolling		
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Typ	e or print)	
Type of water? depth of strata	Address 4190 Flores to NE San	lan,	Ap.
Method of sealing strata off	Drilling Machine Operator's License No.	17	•
(10) WATER LEVELS:	1 /n. OD	y#	••••••••
Static level 8'9" ft. below land surface Date 1-9-67.	[Signed]		********
A-41	(Water Well Contactor	_	
Artesian pressure lbs. per square inch Date	Contractor's License No Date	2	., 19. 6%