

STATE OF OREGON
WATER WELL REPORT
(as required by ORS 537.765)

RECEIVED

MAY 20 1986

PLEASE TYPE OR PRINT IN INK

WATER RESOURCES DEPT

(for official use only)

(1) OWNER:

SALEM, OREGON

Name Jim Grimes
Address 1828 Talbot Rd SE
City Jefferson State Ore

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☐ Driven ☐ Domestic ☒ Industrial ☐ Municipal ☐
Rotary Mud ☐ Dug ☐ Irrigation ☐ Thermal: ☐ Withdrawal ☐ Reinjection ☐
Cable ☒ Bored ☐ Other: ☐ Piezometric ☐ Grounding ☐ Test ☐

(4) CASING INSTALLED:

Steel ☒ Plastic ☐
Threaded ☐ Welded ☒
6" Diam. from 1+ ft. to 50 1/2 ft. Gauge .250
" Diam. from ft. to ft. Gauge

LINER INSTALLED:

Steel ☐ Plastic ☐
Threaded ☐ Welded ☐
" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? ☐ Yes ☒ No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Air test gal./min. with drill stem at ft. hrs.
Bailer test 12 gal./min. with 14 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water 57.2 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒
Well seal—Material used cement
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Amount of sealing material 10 sacks ☒ pounds ☐
How was cement grout placed? 6 gal. water per bag cement injected down grout hole
Was pump installed? Type HP Depth ft.
Was a drive shoe used? ☒ Yes ☐ No Plugs Size: location ft.
Did any strata contain unusable water? ☐ Yes ☒ No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☒ No Size of gravel: ft.
Gravel placed from ft. to ft.

(10) LOCATION OF WELL by legal description:

County Marion NW/4 NW/4 of Section 2 of
Township 9S Range 3W WM.
(Township is North or South) (Range is East or West)
Tax Lot Lot Block Subdivision

MAILING ADDRESS OF WELL (or nearest address)

1828 Talbot Rd SE
Jefferson Ore

(11) WATER LEVEL OF COMPLETED WELL:

Depth at which water was first found 30 ft.
Static level 22 ft. below land surface. Date 5-3-86
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6 in
Depth drilled 54 ft. Depth of completed well 54 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay Brown large Boulders	0	8	
Clay Brown Sandy	8	30	
Hard Brown Clay Brown	30	41	
Light Gravel + Sand	41	43	
Hard Brown + Gravel	43	51	
Clay Gray Sandy	51	54	

Date work started 5-1-86 / completed 5-3-86
Date well drilling machine moved off of well 19

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date , 19

(bonded) Water Well Constructor Certification:

Bond 2-504-033 Issued by: Other Company
(number) (Surety Company Name)
On behalf of Bob SCHULER WELL DRILLING
(type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) Bob Schuler
(Water Well Constructor)

(Dated) 5-3-86

NOTICE TO WATER WELL CONSTRUCTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

SP*46866-690